



US00D719480S

(12) **United States Design Patent**  
**Carter**

(10) **Patent No.:** **US D719,480 S**

(45) **Date of Patent:** **\*\* Dec. 16, 2014**

(54) **PYRAMID SHAPED STRUCTURE FOR USE AS A PLANTER**

(71) Applicant: **Philip R. Carter**, Santa Barbara, CA (US)

(72) Inventor: **Philip R. Carter**, Santa Barbara, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/434,179**

(22) Filed: **Oct. 10, 2012**

(51) **LOC (10) Cl.** ..... **11-02**

(52) **U.S. Cl.**  
USPC ..... **D11/143**

(58) **Field of Classification Search**

CPC ..... A01G 9/02; A01G 1/007; A01G 13/04; E04B 1/34331; E04C 1/00; E04C 5/06; E04H 9/10; A63H 33/08  
USPC ..... D6/403-405, 556-558; D11/143-156, D11/164; D19/77, 80, 81, 84; D26/9-11, D26/16, 19; D34/1, 2, 4-6; D99/5, 19; 47/17, 32.4, 32.5, 32.7, 33, 39, 41.01, 47/41.1, 41.11-41.15, 44-47, 63, 65.5, 47/65.9, 66.1, 66.2, 66.6, 66.7, 67-71

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D33,787 S \* 12/1900 Meiners ..... D23/249  
1,392,178 A \* 9/1921 Kuebler ..... 47/29.3  
D247,105 S \* 1/1978 Kovach ..... D11/144  
D251,416 S \* 3/1979 Kovach ..... D11/145  
D263,366 S \* 3/1982 Strenger et al. .... D8/1  
D276,773 S \* 12/1984 Rodriguez ..... D6/490

D276,898 S \* 12/1984 Strenger et al. .... D11/145  
D317,262 S \* 6/1991 Bluff ..... D9/431  
D359,587 S \* 6/1995 Ross ..... D30/101  
D399,713 S \* 10/1998 Allen et al. .... D8/1  
D515,683 S \* 2/2006 LaBlaine ..... D23/366  
D682,677 S \* 5/2013 Dennin ..... D9/431  
D688,417 S \* 8/2013 Liu ..... D27/162

\* cited by examiner

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — Marissa J Cash

(74) *Attorney, Agent, or Firm* — Robert D. Katz, Esq.; Eaton & Van Winkle LLP

(57) **CLAIM**

The ornamental design for a pyramid shaped structure for use as a planter, as shown and described.

**DESCRIPTION**

FIG. 1 is an exploded perspective view illustrating my ornamental design for a three-sided embodiment of a pyramid shaped structure for use as a planter, with its top portion optionally separated from its base and illustrating a representative side thereof;

FIG. 2 is an exploded perspective view illustrating a four-sided embodiment of a pyramid shaped structure for use as a planter, with its top portion optionally separated from its base and illustrating a representative side thereof;


FIG. 3 is a top view of the pyramid shaped structure for use as a planter shown in FIG. 1;


FIG. 4 is a bottom view of the pyramid shaped structure for use as a planter shown in FIG. 1;

FIG. 5 is a top view of the pyramid shaped structure for use as a planter shown in FIG. 2; and,


FIG. 6 is a bottom view of the pyramid shaped structure for use as a planter shown in FIG. 2.

**1 Claim, 2 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**