



US00D719544S

(12) **United States Design Patent**  
**Ookawa**

(10) **Patent No.:** **US D719,544 S**

(45) **Date of Patent:** **\*\* Dec. 16, 2014**

- (54) **TELEPHONE BASE UNIT**
- (71) Applicant: **Panasonic Corporation**, Kadoma-shi, Osaka (JP)
- (72) Inventor: **Takayuki Ookawa**, Osaka (JP)
- (73) Assignee: **Panasonic Corporation**, Osaka (JP)
- (\*\*) Term: **14 Years**

- D482,341 S 11/2003 Jauregui et al.
- D549,665 S \* 8/2007 Chen ..... D13/168
- D550,644 S 9/2007 Cho et al.
- D571,777 S 6/2008 Waterman et al.
- D599,842 S \* 9/2009 Palmer ..... D18/7
- D605,179 S \* 12/2009 Rudolph et al. .... D14/218
- D633,133 S \* 2/2011 Takaghi ..... D18/7
- D638,375 S \* 5/2011 Clymer et al. .... D13/168
- D638,805 S \* 5/2011 Clymer et al. .... D13/168
- D641,718 S \* 7/2011 Sakai ..... D13/168
- D649,124 S \* 11/2011 Jacoby et al. .... D13/168
- D665,383 S \* 8/2012 McManigal et al. .... D14/218

(Continued)

- (21) Appl. No.: **29/470,277**
- (22) Filed: **Oct. 18, 2013**
- (51) **LOC (10) Cl.** ..... **14-03**
- (52) **U.S. Cl.**  
USPC ..... **D14/140.8**
- (58) **Field of Classification Search**  
USPC ..... D14/142, 140.7, 140.8, 144, 149, 150, D14/151, 155, 158, 159, 170-172, 188, D14/209.1, 214, 217, 226, 229, 243, 240, D14/251-253, 399, 329, 434, 447, 137, 138, D14/147, 191, 218, 247-248, 341-347, D14/496; D21/517; 455/557, 573, 575.1, 455/74.1; 710/303; D13/168; D10/65, 78, D10/104; D24/169; D18/7  
See application file for complete search history.

**OTHER PUBLICATIONS**

AT&T, Advanced American Telephones, "TL92273," obtained from the Internet address <[http://telephones.att.com/products/product\\_detail/2397](http://telephones.att.com/products/product_detail/2397)> on Sep. 12, 2013, 2 pages.

*Primary Examiner* — Susan Bennett Hattan  
*Assistant Examiner* — Marie Fast Horse  
(74) *Attorney, Agent, or Firm* — Brinks Gilson & Lione

(57) **CLAIM**

I claim the ornamental design for a telephone base unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a telephone base unit of the present invention;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a first side view thereof;  
FIG. 5 is a second side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
The broken lines shown represent environmental subject matter and form no part of the claimed design. Additionally, dash-dot broken lines in the drawings define the limits of the claimed design and form no part thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D282,853 S \* 3/1986 Yoshioka et al. .... D18/7
- D299,646 S \* 1/1989 Stierwalt ..... D14/250
- D301,236 S \* 5/1989 Suzui et al. .... D14/142
- D302,815 S 8/1989 Goatman
- D328,091 S \* 7/1992 Takahata ..... D18/7
- D355,186 S \* 2/1995 Danielson et al. .... D14/186
- D355,187 S \* 2/1995 Danielson et al. .... D14/141.1
- D359,490 S 6/1995 Arakaki et al.
- 6,049,701 A \* 4/2000 Sparksman ..... 455/74.1
- D457,868 S 5/2002 Shintani
- D463,389 S \* 9/2002 Stafford-Fraser ..... D14/151

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG.2




FIG.3



FIG.4




FIG.5




FIG.6






FIG. 7

