



US00D719896S

(12) **United States Design Patent**  
**Sakae**

(10) **Patent No.:** **US D719,896 S**

(45) **Date of Patent:** **\*\* Dec. 23, 2014**

(54) **COMPONENT OF FRAME FOR VEHICLE**

(75) Inventor: **Akira Sakae**, Kobe (JP)

(73) Assignee: **Kobe Steel, Ltd.**, Kobe-shi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/420,268**

(22) Filed: **May 7, 2012**

(30) **Foreign Application Priority Data**

Nov. 7, 2011 (JP) ..... 2011-025621

(51) **LOC (10) CL.** ..... **12-16**

(52) **U.S. Cl.**

USPC ..... **D12/400**

(58) **Field of Classification Search**

CPC ..... B62M 6/10; B62M 6/30; B62M 6/40;  
B62M 6/60; B62M 6/70; B62M 7/02; B62M  
7/04; B62M 7/12; B62K 3/02; B62K 3/10;  
B62K 11/02; B62K 11/04; B62K 11/06;  
B62K 19/02; B62K 19/04; B62K 19/06;  
B62K 19/18; B62K 19/30

USPC ..... D12/89, 203, 314, 400; D28/36, 92;  
280/5.3, 163, 164.2, 166, 169, 291;  
132/53, 201, 216, 218

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D223,819 S \* 6/1972 Edwards ..... D12/400  
D259,341 S \* 5/1981 Wang ..... D12/190  
D420,316 S \* 2/2000 Hanlon et al. .... D12/194  
D425,002 S \* 5/2000 Elwell et al. .... D12/190  
D484,080 S \* 12/2003 Yamamoto et al. .... D12/190

D636,314 S \* 4/2011 Wang ..... D12/190  
D636,787 S \* 4/2011 Luxon et al. .... D12/400  
D638,446 S \* 5/2011 Luxon et al. .... D12/400  
D651,140 S \* 12/2011 Greger et al. .... D12/133  
D651,964 S 1/2012 Sakae  
2006/0196462 A1\* 9/2006 Quezada ..... 123/184.21

**FOREIGN PATENT DOCUMENTS**

JP 1402272 11/2010

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/429,678, filed Aug. 15, 2012, Sakae.

U.S. Appl. No. 29/420,275, filed May 7, 2012, Sakae.

\* cited by examiner

*Primary Examiner* — Deanna L Pratt

*Assistant Examiner* — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Oblon, Spivak,  
McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for a component of frame for vehicle,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a component of frame for  
vehicle;

FIG. 2 is a front view thereof, the opposite side being a mirror  
image of the side shown herein;


FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top view thereof, the opposite side being an  
identical image of the side shown herein; and,

FIG. 6 is a cross-sectional view taken along line 6-6 in FIG. 3  
thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6