



US00D720007S

(12) **United States Design Patent**
Champagne

(10) **Patent No.:** **US D720,007 S**

(45) **Date of Patent:** **** Dec. 23, 2014**

(54) **FARRIER TRAINING SYSTEM DEVICE**

(71) Applicant: **Wesley Jon Champagne**, Altadena, CA
(US)

(72) Inventor: **Wesley Jon Champagne**, Altadena, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/436,846**

(22) Filed: **Nov. 9, 2012**

(51) **LOC (10) Cl.** **19-07**

(52) **U.S. Cl.**
USPC **D19/62**

(58) **Field of Classification Search**
CPC G09B 19/00; G09B 23/30; G09B 23/36;
A01L 1/00
USPC D19/59-64; 434/225, 295-296, 365;
168/17, 44-45
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D256,373	S	*	8/1980	Marks	D19/62
D286,059	S	*	10/1986	Craft et al.	D19/62
4,773,865	A	*	9/1988	Baldwin	434/268
4,938,696	A	*	7/1990	Foster et al.	434/267
5,090,910	A	*	2/1992	Narlo	434/82
D334,024	S	*	3/1993	Ganansia	D19/62
5,607,311	A	*	3/1997	Browne-Wilkinson	434/274
5,908,302	A	*	6/1999	Goldfarb	434/262
5,945,056	A	*	8/1999	Day et al.	434/272
D413,629	S	*	9/1999	Wolff	D19/59
D415,200	S	*	10/1999	Carpenter et al.	D19/62

D417,702	S	*	12/1999	Carpenter et al.	D19/62
D429,500	S	*	8/2000	Brault et al.	D19/62
6,159,017	A	*	12/2000	Coomansingh	434/267
6,234,804	B1	*	5/2001	Yong	434/267
6,695,619	B2	*	2/2004	Brown-Wilkinson	434/274
6,780,016	B1	*	8/2004	Toly	434/262
D534,216	S	*	12/2006	Makower et al.	D19/62
D537,881	S	*	3/2007	Kotani et al.	D19/62
D549,780	S	*	8/2007	Malik	D19/62
D566,183	S	*	4/2008	Lesko	D19/62
D576,680	S	*	9/2008	Julian	D19/62
D602,987	S	*	10/2009	Wilson	D19/62

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — David A. Belasco; Belasco
Jacobs & Townsley, LLP

(57) **CLAIM**

I claim the ornamental design for the farrier training system device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my farrier training system device;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a front side elevational view thereof;


FIG. 5 is a right side elevational view thereof;




FIG. 6 is a back side elevational view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines are included for the purpose of illustrating unclaimed portions of farrier training system device that form no part of the claimed design.

1 Claim, 2 Drawing Sheets








FIG. 3




FIG. 6




FIG. 5




FIG. 4