



US00D720246S

(12) **United States Design Patent**
Shigeno et al.

(10) **Patent No.:** **US D720,246 S**

(45) **Date of Patent:** **** Dec. 30, 2014**

(54) **PEDOMETER**

(71) Applicant: **Omron Healthcare Co., Ltd.**, Kyoto (JP)

(72) Inventors: **Takashi Shigeno**, Kawasaki (JP); **Kazuya Andachi**, Tokyo (JP); **Tamaki Ito**, Kyoto (JP)

(73) Assignee: **Omron Healthcare Co., Ltd.**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/479,500**

(22) Filed: **Jan. 16, 2014**

(30) **Foreign Application Priority Data**

Jul. 24, 2013 (JP) 2013-016786

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/98; D10/70**

(58) **Field of Classification Search**

CPC A41D 1/002; A44C 5/0015; A44C 5/102; A44C 5/14; A44C 5/02; A61B 19/44; A61B 2019/446; A63B 71/06; A63B 26/00; A63B 24/0075; A63B 2071/0663; G09F 3/005; G06F 1/163; G06F 3/038; G06F 3/03547
USPC D10/65, 70, 78, 97, 98; 2/127, 170; 40/633, 665; 59/80; 63/15.7; 340/407.1, 665, 323 R; 368/41; 434/247, 258; 482/1, 2, 4, 8, 9, 44, 482/148, 901, 74, 909; 600/485, 500, 503, 600/437, 443, 453, 459, 465, 479, 502, 595, 600/481, 483; 702/178, 155, 160, 176, 78, 702/79, 82, 91-95, 104, 116, 141, 150, 151, 702/154, 127, 131, 182, 183, 189; 235/105;

377/5, 24.2, 26; 73/514.33, 514.34, 73/510, 513, 527, 530; 324/522; 345/165, 345/156, 905; 342/27, 28, 52-58, 419, 450, 342/457, 458; 250/DIG. 1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D555,019 S *	11/2007	Au Yeung	D10/70
D611,366 S *	3/2010	Register et al.	D10/65
D615,427 S *	5/2010	Au Yeung	D10/70
D632,984 S *	2/2011	Register et al.	D10/65
D635,874 S *	4/2011	Tseng et al.	D10/70
D637,097 S *	5/2011	Tseng	D10/70
D644,542 S *	9/2011	Henne et al.	D10/65

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1442296 6/2012

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Capitol City TechLaw

(57) **CLAIM**

The ornamental design for a pedometer, as shown.

DESCRIPTION

FIG. 1 is a front, bottom, and right side perspective view of a pedometer showing our new design;
FIG. 2 is a rear, top, and left side perspective view thereof;
FIG. 3 is a rear, bottom, and left side perspective view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a right side view thereof; and,
FIG. 9 is a left side view thereof.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D665,679 S * 8/2012 Shigeno et al. D10/70
D665,680 S * 8/2012 Shigeno et al. D10/70
D674,715 S * 1/2013 Dalton D10/70
D677,589 S * 3/2013 Jung et al. D10/65
D682,126 S * 5/2013 Tello D10/70

D684,071 S * 6/2013 Greenwood et al. D10/70
8,506,524 B2 * 8/2013 Graskov 345/156
D693,248 S * 11/2013 Anderssen et al. D10/65
D693,249 S * 11/2013 Anderssen et al. D10/65
D693,250 S * 11/2013 Anderssen et al. D10/65
D699,131 S * 2/2014 Marshall et al. D10/65
D700,084 S * 2/2014 Hsu D10/70
D702,141 S * 4/2014 Jung et al. D10/65

* cited by examiner

FIG.1



FIG.2



FIG.3



FIG.4



FIG.5



FIG.6




FIG.7




FIG.8




FIG.9

