



US00D720281S

(12) **United States Design Patent Grant**

(10) **Patent No.:** **US D720,281 S**

(45) **Date of Patent:** **\*\* Dec. 30, 2014**

(54) **CARGO CARRIER**

(71) Applicant: **Ricky Grant**, Mount Morris, MI (US)

(72) Inventor: **Ricky Grant**, Mount Morris, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/457,491**

(22) Filed: **Jun. 10, 2013**

(51) **LOC (10) Cl.** ..... **12-99**

(52) **U.S. Cl.**

USPC ..... **D12/414.1**

(58) **Field of Classification Search**

USPC ..... D12/414.1, 414, 413, 412, 221, 406, D12/157, 423; D6/552, 317-319, 513-514; D3/304-306; 293/37.1, 3, 100; 296/39.1, 39.2, 37.6, 26.09, 99.1, 296/100.02, 157; 220/771; 224/309-311, 224/323-329, 273, 42.42, 400-404, 539, 224/542, 315-317, 510, 543, 544, 924; 414/462; 280/848, 727, 769; 206/213, 206/8, 9, 279, 290, 713, 335, 315.1-315.4; 32/35, 58

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,260,091 A \* 4/1981 French et al. .... 224/311  
D274,139 S \* 6/1984 Suffern et al. .... D12/414.1  
5,226,302 A \* 7/1993 Anderson ..... 70/159  
D430,103 S \* 8/2000 Scudder ..... D12/414.1  
6,507,701 B2 \* 1/2003 Lake ..... 296/37.6  
D658,373 S \* 5/2012 Gros ..... D3/273

D659,632 S \* 5/2012 Jordan ..... D12/414.1  
D660,781 S \* 5/2012 Ruffino et al. .... D12/414.1  
2002/0175530 A1 \* 11/2002 Lake ..... 296/37.6  
2007/0119093 A1 \* 5/2007 Jaskulski ..... 43/54.1  
2008/0264946 A1 \* 10/2008 Moschella et al. .... 220/326  
2009/0056592 A1 \* 3/2009 Threet et al. .... 108/11  
2014/0062042 A1 \* 3/2014 Wagner et al. .... 280/30

\* cited by examiner

*Primary Examiner* — Katrina A Betton

(74) *Attorney, Agent, or Firm* — QuickPatents; Kevin Prince


(57) **CLAIM**

I claim the ornamental design for a cargo carrier, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a cargo carrier, showing my new design in an open position;  
FIG. 2 is an enlarged perspective view thereof, illustrated in a closed position;  
FIG. 3 is a front elevational view of FIG. 2;  
FIG. 4 is a rear elevational view of FIG. 2;  
FIG. 5 is a left-side elevational view of FIG. 2;  
FIG. 6 is a right-side elevational view of FIG. 2;  
FIG. 7 is a top plan view of FIG. 2; and,  
FIG. 8 is a bottom plan view of FIG. 2.  
In the drawing figures the broken lines on the cargo carrier indicate stitching. The broken lines in FIG. 1 depict a truck and items stored in the cargo carrier that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8