



US00D720524S

(12) **United States Design Patent**
Tetsuro

(10) **Patent No.:** **US D720,524 S**

(45) **Date of Patent:** **** Jan. 6, 2015**

(54) **UMBRELLA**

(75) Inventor: **Tanaka Tetsuro**, Kumamoto (JP)

(73) Assignee: **Sprout Co., Ltd**, Kumamoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/427,626**

(22) Filed: **Jul. 20, 2012**

(30) **Foreign Application Priority Data**

Jan. 20, 2012 (CN) 2012 3 0017605

(51) **LOC (10) Cl.** **03-03**

(52) **U.S. Cl.**
USPC **D3/5; D3/13**

(58) **Field of Classification Search**
USPC **D3/5, 6, 10, 12, 13; 135/15.1, 33.2, 135/20.1, 56**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,952,980	A *	3/1934	Fox	135/76
3,281,586	A *	10/1966	Gonzalez	362/102
D320,600	S *	10/1991	Yuen	D14/168
D347,319	S *	5/1994	Friedman	D3/13
D353,041	S *	12/1994	Stenberg	D3/5
D370,556	S *	6/1996	Yu	D3/5
D415,299	S *	10/1999	Burbrink	D26/38
D430,726	S *	9/2000	Burbrink	D3/13
6,805,144	B2 *	10/2004	Usui et al.	135/34.2
D513,117	S *	12/2005	Raede	D3/5
D516,294	S *	3/2006	Olson et al.	D3/5

(Continued)

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **CLAIM**

The ornamental design for an umbrella, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an umbrella embodying my new design in a first condition wherein a communication unit is exposed to be visible;

FIG. 2 is a left side view of the umbrella of FIG. 1 in the first condition; the right side view being a mirror image of FIG. 2; FIG. 3 is a top view of the umbrella of FIG. 1 in the first condition;

FIG. 4 is a bottom view of the umbrella of FIG. 1 in the first condition;

FIG. 5 is a left perspective view of the umbrella of FIG. 1 in the first condition; a right perspective view of the umbrella of FIG. 1 in the first condition being a mirror image of FIG. 5;

FIG. 6 is an enlarged front view of portions of the umbrella shown in FIG. 1 in the first condition;

FIG. 7 is an enlarged left side view of portions of the umbrella shown in FIG. 2 in the first condition; an enlarged right side view of portions of the umbrella shown in FIG. 2 in the first condition being a mirror image of FIG. 7;

FIG. 8 is an enlarged left perspective view of portions of the umbrella shown in FIG. 5 in the first condition; an enlarged right perspective view of portions of the umbrella shown in FIG. 5 in the first condition being a mirror image of FIG. 8;

FIG. 9 is another front view of the umbrella of FIG. 1 in a second condition wherein the communication unit is hidden from view, wherein the umbrella shown in FIG. 9 in the second condition has a top view and a bottom view identical to FIGS. 3 and 4, respectively, and the appearance of the umbrella shown in the first condition shown in FIGS. 2, 5, 7 and 8 represents the umbrella in the second condition but that the communication unit is hidden from view; and,

FIG. 10 is an enlarged front view of portions of the umbrella similar to FIG. 6, but showing the enlarged front view of the portions of the umbrella in the second condition wherein the communication unit is hidden from view.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,706,212 B1 *	4/2010	Campbell	367/116	2003/0131639 A1 *	7/2003	Segawa	70/92
D640,464 S *	6/2011	Forthuber et al.	D3/5	2005/0121063 A1 *	6/2005	Chang	135/910
8,627,839 B1 *	1/2014	Martinez	135/66	2008/0041432 A1 *	2/2008	Willis	135/74
D707,037 S *	6/2014	Tetsuro	D3/5	2008/0163908 A1 *	7/2008	O'Kere	135/16
					2008/0251110 A1 *	10/2008	Pede	135/66

* cited by examiner



FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10