



US00D720571S

(12) **United States Design Patent**  
**Deters**

(10) **Patent No.:** **US D720,571 S**  
(45) **Date of Patent:** **\*\* Jan. 6, 2015**

- (54) **SPLATTER SHIELD**
- (71) Applicant: **Dennis L Deters**, Spring Grove, MN (US)
- (72) Inventor: **Dennis L Deters**, Spring Grove, MN (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/459,777**
- (22) Filed: **Jul. 3, 2013**
- (51) **LOC (10) Cl.** ..... **07-02**
- (52) **U.S. Cl.**  
USPC ..... **D7/391; D7/354**
- (58) **Field of Classification Search**  
CPC ..... A47G 19/12; A47J 27/00; A47J 27/002; A47J 27/08; A47J 27/12; A47J 27/21; A47J 27/58; A47J 36/025; A47J 36/06; A47J 36/12; A47J 36/20; A47J 37/00; A47J 37/10; A47J 37/101; A47J 37/103; A47J 37/12; A47J 37/1204; A47J 45/061; A47J 45/071; A47J 45/08; H05B 6/12  
USPC ..... D7/323, 354-363, 391, 393-396, 409, D7/667; D11/152; D30/199; 99/324, 331, 99/339-340, 349, 403, 425-426, 99/444-445; 126/275 R, 373.1, 126/383.1-384.1, 390.1; 210/776; 219/438-439, 620-622; 220/369, 220/573.1-573.5, 752-753, 755-759, 912; 222/465.1, 470, 475.1  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 626,808 A 6/1899 Gurney
- 893,805 A 7/1908 Kline
- 930,223 A 8/1909 Port
- 1,021,133 A 3/1912 Chaloud
- D50,645 S \* 4/1917 Brock ..... D7/391

- 1,345,457 A 7/1920 Olson
- 1,356,432 A 10/1920 Eidt
- 1,427,796 A \* 9/1922 Every ..... 126/275 R
- 1,453,054 A 4/1923 Nordstrom
- 1,627,285 A 3/1926 Hubbard
- 2,609,960 A 9/1952 Irwin
- 2,614,484 A 10/1952 Caruso
- 2,636,636 A \* 4/1953 Smith ..... 220/369
- 2,643,024 A 6/1953 Cronheim
- 2,760,672 A 8/1956 Cronheim
- 3,314,358 A \* 4/1967 Burns ..... 99/349
- 3,363,406 A 1/1968 Miller
- 3,777,653 A 12/1973 Carruth
- D232,511 S \* 8/1974 Milton ..... D7/391
- 4,176,591 A 12/1979 Power
- 4,298,135 A 11/1981 Vossen
- D313,727 S 1/1991 Gamez
- D421,555 S \* 3/2000 Duhamel ..... D7/667

(Continued)

*Primary Examiner* — Ricky Pham

(74) *Attorney, Agent, or Firm* — Greg N. Geiser; Geiser Law, PLLC



(57) **CLAIM**

The ornamental design for a splatter shield, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of the new design of a splatter shield; FIG. 1A is top plan view according to FIG. 1 with brackets to indicate the location of the isometric breakout views according to FIGS. 1B and 2B thereof; FIG. 1B is an isometric breakout view according to the brackets as indicated in FIG. 1A thereof; FIG. 2 is a front side view, the rear, left, and right being a mirror image thereof; FIG. 2A is a side view with a center portion of the device raised thereof; and, FIG. 2B is an isometric breakout view according to the brackets as indicated in FIG. 1A with the center portion raised thereof.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

6,035,766	A *	3/2000	Schirmer .....	99/403	7,717,285	B2	5/2010	Price	
D435,481	S *	12/2000	Wagner .....	D11/152	7,789,259	B2	9/2010	Garziera	
D485,136	S *	1/2004	Golden et al. ....	D7/667	8,096,437	B1	1/2012	Ryan	
D513,462	S	1/2006	VanGilder et al.		D655,968	S	3/2012	Lion et al.	
D538,587	S	3/2007	Settele		D655,969	S	3/2012	Lion et al.	
D552,308	S *	10/2007	Farr .....	D30/199	8,146,484	B2	4/2012	Blichmann	
D567,597	S *	4/2008	Shamoon .....	D7/667	2005/0230326	A1 *	10/2005	Cooper .....	210/776
D578,336	S *	10/2008	Kim .....	D7/354	2008/0272124	A1	11/2008	Shamoon	
					2008/0296303	A1	12/2008	Krent et al.	
					2009/0261102	A1	10/2009	Sparks	
					2011/0127282	A1	6/2011	Carvajal et al.	

\* cited by examiner

FIG. 1




FIG. 2



FIG. 1A




FIG. 2A



FIG. 1B




FIG. 2B

