

US00D720729S

(12) **United States Design Patent**
Escaro

(10) **Patent No.:** **US D720,729 S**
(45) **Date of Patent:** **** Jan. 6, 2015**

(54) **NON-CONTACT DATA CARRIERS**
(71) Applicant: **Rodly Escaro**, Tokyo (JP)
(72) Inventor: **Rodly Escaro**, Tokyo (JP)
(73) Assignee: **Sato Holdings Kabushikikaisha**, Tokyo (JP)
(**) Term: **14 Years**

(21) Appl. No.: **29/477,064**
(22) Filed: **Dec. 19, 2013**

(30) **Foreign Application Priority Data**

Jun. 26, 2013 (JP) 2013-014463

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/230**

(58) **Field of Classification Search**
USPC D14/138, 230–238, 299, 358; D12/42, D12/43; 343/700 MS, 700 R–705, 711–713, 343/735, 736, 741, 748, 767, 795, 819, 840, 343/846, 866, 871–908; 455/90.2, 90.3, 91, 455/128, 269, 344, 347, 562.1; D10/106.9
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,990,547	A *	6/1961	McDougal	343/767
6,081,242	A *	6/2000	Wingo	343/860
6,417,816	B2 *	7/2002	Sadler et al.	343/795
D573,589	S *	7/2008	Montgomery et al.	D14/230
D581,400	S *	11/2008	Montgomery	D14/230
D590,379	S *	4/2009	Deguchi et al.	D14/230
D602,010	S *	10/2009	Yakubo	D14/230
D608,770	S *	1/2010	Deguchi et al.	D14/230
D611,039	S *	3/2010	Deguchi et al.	D14/230
D620,484	S *	7/2010	Oliver	D14/230

D685,352	S *	7/2013	Wei	D14/230
D704,171	S *	5/2014	Forster	D14/230
D706,247	S *	6/2014	Zheng et al.	D14/230
D708,601	S *	7/2014	Forster	D14/230
D709,052	S *	7/2014	Forster	D14/230
D709,863	S *	7/2014	Forster	D14/230
D710,338	S *	8/2014	Forster	D14/230
D710,835	S *	8/2014	Forster et al.	D14/230
2007/0024503	A1 *	2/2007	Tsai et al.	343/700 MS
2008/0007463	A1 *	1/2008	Chen	343/702
2008/0204329	A1 *	8/2008	Taki et al.	343/700 MS

* cited by examiner

Primary Examiner — John Windmuller
(74) *Attorney, Agent, or Firm* — Andrew F. Young, Esq.;
Lackenbach Siegel, LLP

(57) **CLAIM**

The ornamental design for non-contact data carriers, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the present invention.
FIG. 2 is a front elevation view of FIG. 1.
FIG. 3 is a rear elevation view of FIG. 1.
FIG. 4 is a right side elevation view of FIG. 1, the left side elevation being a mirror image thereof.
FIG. 5 is a top plan view of FIG. 1.
FIG. 6 is a bottom plan view of FIG. 1.
FIG. 7 is a front perspective view of the present invention in an alternate environment.
FIG. 8 is a front elevation view of FIG. 7.
FIG. 9 is a rear elevation view of FIG. 7.
FIG. 10 is a right side elevation view of FIG. 7, the right side elevation being a mirror image thereof.
FIG. 11 is a top plan view of FIG. 7; and,
FIG. 12 is a bottom plan view of FIG. 7.
The broken lines in the figures depict environment only and form no part of the claimed design.

1 Claim, 12 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12

