



US00D720797S

(12) **United States Design Patent**  
**Stables**

(10) **Patent No.:** **US D720,797 S**

(45) **Date of Patent:** **\*\* Jan. 6, 2015**

(54) **EYEWEAR**

(71) Applicant: **Paul Stables**, Austin, TX (US)

(72) Inventor: **Paul Stables**, Austin, TX (US)

(73) Assignee: **Lava Limited**, Tsuen, NT (HK)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/441,811**

(22) Filed: **Jan. 9, 2013**

(51) **LOC (10) Cl.** ..... **16-06**

(52) **U.S. Cl.**  
USPC ..... **D16/300**

(58) **Field of Classification Search**

USPC ..... D16/320, 333, 332, 325, 326, 328, 321,  
D16/318, 310, 309, 306, 300, 335, 334, 136,  
D16/330, 336, 338, 340, 341, 339, 327, 323,  
D16/303, 329, 301, 337, 342, 316, 304,  
D16/311; 24/58; D29/110; 2/12, 442, 445,  
2/447, 448; 351/124, 69, 41, 137, 138,  
351/139, 131, 132, 136, 65, 76, 78, 79, 87,  
351/88; D3/219; D20/22, 40; D24/110.2,  
D24/150, 160, 172

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D468,339 S *	1/2003	Lane	.....	D16/329
D478,114 S *	8/2003	Yee	.....	D16/326
D481,061 S *	10/2003	Lane	.....	D16/321
D497,380 S *	10/2004	Thixton et al.	.....	D16/326
D602,069 S *	10/2009	Rhea	.....	D16/326
D602,070 S *	10/2009	Rhea	.....	D16/326
D602,071 S *	10/2009	Rhea	.....	D16/326
D607,040 S *	12/2009	Rohrbach	.....	D16/326
D626,581 S *	11/2010	Stables	.....	D16/321
D640,728 S *	6/2011	Stables	.....	D16/326
D640,731 S *	6/2011	Stables	.....	
D640,732 S *	6/2011	Stables	.....	D16/326

(Continued)

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — Eliza Bennett-Hattan

(74) *Attorney, Agent, or Firm* — Joseph G. Swan, P.C.

(57) **CLAIM**

The ornamental design for eyewear, as shown and described.

**DESCRIPTION**

FIG. 1 is a top left perspective view of eyewear according to a first representative embodiment of the present invention.

FIG. 2 is a left side elevational view of the eyewear, with the right side elevational view being a mirror image of the left side elevational view, according to the first representative embodiment.

FIG. 3 is a top plan view of the eyewear, according to the first representative embodiment.

FIG. 4 is a front elevational view of the eyewear, according to the first representative embodiment.

FIG. 5 is a bottom plan view of the eyewear, according to the first representative embodiment.

FIG. 6 is a rear elevational view of the eyewear, according to the first representative embodiment.

FIG. 7 is a top left perspective view of eyewear according to a second representative embodiment of the present invention.

FIG. 8 is a left side elevational view of the eyewear, with the right side elevational view being a mirror image of the left side elevational view, according to the second representative embodiment.

FIG. 9 is a top plan view of the eyewear, according to the second representative embodiment.


FIG. 10 is a front elevational view of the eyewear, according to the second representative embodiment.

FIG. 11 is a bottom plan view of the eyewear, according to the second representative embodiment; and,

FIG. 12 is a rear elevational view of the eyewear, according to the second representative embodiment.

The portions shown in broken lines are solely for the purpose of illustrating context and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



# US D720,797 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D643,869 S 8/2011 Stables

D681,098 S 4/2013 Slosar et al.

D682,917 S \* 5/2013 Stables ..... D16/321


D682,920 S \* 5/2013 Stables ..... D16/321

D683,389 S \* 5/2013 Stables ..... D16/326


D708,658 S \* 7/2014 Lane ..... D16/300

D711,957 S \* 8/2014 Stables ..... D16/300


\* cited by examiner




*FIG. 1*



*FIG. 2*




*FIG. 3*




*FIG. 4*







*FIG. 5*




*FIG. 6*




*FIG. 7*




*FIG. 8*




*FIG. 9*



*FIG. 10*



*FIG. 11*



*FIG. 12*