

US00D721174S

(12) **United States Design Patent**  
**Albers**

(10) **Patent No.:** **US D721,174 S**  
(45) **Date of Patent:** **\*\* Jan. 13, 2015**

- (54) **BLEMISH EXTRACTOR**
- (75) Inventor: **Oliver Albers**, Oakland, CA (US)
- (73) Assignee: **Luft Industrie Inc.**, Oakland, CA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/410,304**
- (22) Filed: **Jan. 6, 2012**
- (51) **LOC (10) Cl.** ..... **24-02**
- (52) **U.S. Cl.**  
USPC ..... **D24/147**
- (58) **Field of Classification Search**  
CPC ..... A61B 2018/00607; A61B 2018/00601;  
A61B 17/34; A61B 17/32; A61B 17/16;  
A61B 17/14  
USPC ..... D24/146, 147, 133, 144, 107; 606/1, 2,  
606/9, 13, 131-133, 159-162; D28/9  
See application file for complete search history.

D450,676 S *	11/2001	Huttner	.....	D24/147
6,475,172 B1 *	11/2002	Hall	.....	601/137
D490,523 S *	5/2004	Samborski	.....	D24/147
D538,936 S *	3/2007	Bohmel et al.	.....	D24/152
D539,426 S *	3/2007	Callaghan	.....	D24/147
D546,447 S *	7/2007	White	.....	D24/133
D588,697 S *	3/2009	Hickok	.....	D24/152
D588,747 S *	3/2009	Wittke-Kothe	.....	D28/57
D589,620 S *	3/2009	Hickok	.....	D24/152

\* cited by examiner

*Primary Examiner* — Ian Simmons  
*Assistant Examiner* — Carissa C Fitts  
(74) *Attorney, Agent, or Firm* — Onello & Mello, LLP


(57) **CLAIM**  
The ornamental design for a blemish extractor, as shown and described.

**DESCRIPTION**

FIG. 1 is a side exploded view of a blemish extractor, which includes a main portion and a removable top portion, with the top portion separated from the main portion, in accordance with the present invention;  
FIG. 2 is the side view of the blemish extractor of FIG. 1, with the top portion attached to the main portion;  
FIG. 3 is a top view of the blemish extractor of FIGS. 1 and 2, with the top portion attached;  
FIG. 4 is a top view of the main portion of the blemish extractor of FIGS. 1 and 2 with the top portion removed;  
FIG. 5 is a top view of the blemish extractor of FIGS. 1 and 2 with the top portion attached; and,  
FIG. 6 is a front view of the blemish extractor of FIG. 2, the back view being the same.

**1 Claim, 3 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
D199,564 S \* 11/1964 Koss ..... D8/98  
4,600,008 A \* 7/1986 Schmidt ..... 606/162  
D295,445 S \* 4/1988 Freeman ..... D24/135  
D346,866 S \* 5/1994 Lotuaco ..... D24/200  
5,632,756 A \* 5/1997 Kruglick ..... 606/162  
5,715,850 A \* 2/1998 Markgraaf ..... 132/333  
D405,179 S \* 2/1999 Kirsch et al. .... D24/154  
D407,001 S \* 3/1999 Allison ..... D8/98  
D439,338 S \* 3/2001 Huttner et al. .... D24/147  
D444,556 S \* 7/2001 Estrem ..... D24/146  
6,270,510 B1 \* 8/2001 Westendorf ..... 606/162






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6