



US00D721262S

(12) **United States Design Patent**
Parham

(10) **Patent No.:** **US D721,262 S**

(45) **Date of Patent:** **** Jan. 20, 2015**

(54) **CONCRETE REINFORCEMENT RETAINING CHAIR**

(71) Applicant: **Kerry Parham**, Portland, OR (US)

(72) Inventor: **Kerry Parham**, Portland, OR (US)

(73) Assignee: **BIP Company, LLC**, Portland, OR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/459,076**

(22) Filed: **Jun. 25, 2013**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**

USPC **D8/354**; D8/380

(58) **Field of Classification Search**

USPC D8/354, 349, 380, 384; D25/199;
248/440; 52/677, 678, 679, 682, 684,
52/685, 686, 687, 745.21, 688, 689;
404/134, 135, 136

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,107,654	A *	4/1992	Leonardis	52/685
D334,133	S *	3/1993	Hartzheim	D8/354
D388,312	S *	12/1997	Sorkin	D8/354
5,729,949	A *	3/1998	Hartzheim	52/677
D394,200	S *	5/1998	Hartzheim	D8/354
D421,709	S *	3/2000	Haslem et al.	D8/354
6,089,522	A *	7/2000	Haslem et al.	248/440
D482,262	S *	11/2003	Sorkin	D8/354
D491,443	S *	6/2004	Lowery	D8/354
D500,665	S *	1/2005	Sorkin	D8/354

D500,668	S *	1/2005	Kelly et al.	D8/354
D543,836	S *	6/2007	Sorkin	D8/354
7,237,367	B1 *	7/2007	Sorkin	52/687
D548,053	S *	8/2007	Erickson et al.	D8/354
D548,055	S *	8/2007	Erickson et al.	D8/354
D548,056	S *	8/2007	Erickson et al.	D8/354
7,278,613	B2 *	10/2007	Roy	248/49
D567,634	S *	4/2008	Sorkin	D8/354
D578,379	S *	10/2008	Sorkin	D8/354
D578,870	S *	10/2008	Sorkin	D8/354
7,451,580	B2 *	11/2008	Kelly et al.	52/687
D594,737	S *	6/2009	Kelly et al.	D8/354
D597,402	S *	8/2009	Garza	D8/380
D618,988	S *	7/2010	Peterson, Jr.	D8/380
7,845,136	B1 *	12/2010	Sorkin	52/687
8,028,490	B2 *	10/2011	Kelly et al.	52/687
2006/0188335	A1 *	8/2006	Harris	404/136

* cited by examiner

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Howard Russell


(57) **CLAIM**

The ornamental design for a concrete reinforcement retaining chair, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a concrete reinforcement retaining chair showing my new design; FIG. 2 is a top right perspective view thereof; FIG. 3 is a right side elevation view thereof, the left side elevation view being a mirror image thereof; FIG. 4 is a front elevation view thereof, the back elevation view being a mirror image thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6