



US00D721573S

(12) **United States Design Patent**
Fievet

(10) **Patent No.:** **US D721,573 S**
(45) **Date of Patent:** **** Jan. 27, 2015**

(54) **SPIDER BRACKET**

(71) Applicant: **SB Ingenierie**, Poisy (FR)

(72) Inventor: **Frederic Fievet**, Poisy (FR)

(73) Assignee: **SB Ingenierie**, Poisy (FR)

(**) Term: **14 Years**

(21) Appl. No.: **29/451,666**

(22) Filed: **Apr. 5, 2013**

(30) **Foreign Application Priority Data**

Oct. 9, 2012 (EP) 002115840-0001

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/382**

(58) **Field of Classification Search**
USPC D8/382, 354, 349, 499, 363, 380, 373;
D25/122, 123; D6/512, 513, 310, 329,
D6/332; D23/209, 245; D14/447, 452,
D14/451; 52/586.2; 211/182, 183; 248/678,
248/201, 276.1, 500; 108/150; 16/252, 281,
16/387; D16/242

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D245,575 S * 8/1977 Frinzel et al. D8/499
5,320,049 A * 6/1994 Rowland 108/150
D641,610 S * 7/2011 Sedalo D8/354
7,980,527 B2 * 7/2011 Gronvall 248/500
8,046,873 B2 * 11/2011 Chang 16/252
D658,040 S * 4/2012 Ghatikar et al. D8/354

D673,960 S * 1/2013 Lindfield et al. D14/447
D700,834 S * 3/2014 Fievet D8/382
D710,969 S * 8/2014 Bradford et al. D23/209

OTHER PUBLICATIONS

Spider bracket one leg to four legs, Vanguard Golden Relation, [online], [retrieved on Aug. 22, 2014]. Retrieved from the Internet <URL: <http://www.vgrmachine.com/product/358-spider-bracket-one-leg-to-four-legs-1365/>>.*

Spider clamps, Progress Engineering Works, [online], [retrieved on Aug. 22, 2014]. Retrieved from the Internet <URL: <http://panpages.my/listings/my88099-progress-engineering-works>>.*

Spider fittings for glass facades, Anzor Architectural, [online], [retrieved on Aug. 22, 2014]. Retrieved from the Internet <URL: <http://www.anzor.co.nz/spider-fittings>>.*

* cited by examiner

Primary Examiner — Sheryl Lane

Assistant Examiner — Nicole Shiflet

(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**

The ornamental design for a spider bracket, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right-side perspective view of a spider bracket;

FIG. 2 is a rear, top, right-side perspective view thereof;


FIG. 3 is a front view thereof;

FIG. 4 is a top view thereof, the bottom view being a mirror image of the top view;

FIG. 5 is a right-side view thereof, the left-side view being a mirror image of the right-side view; and,

FIG. 6 is a rear view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6