



US00D721861S

(12) **United States Design Patent**  
**Guo**(10) **Patent No.:** **US D721,861 S**  
(45) **Date of Patent:** **\*\* Jan. 27, 2015**(54) **TRANSCEIVER**(75) Inventor: **Xu Wei Guo**, Shenzhen (CN)(73) Assignee: **Sunfire Enterprises, LLC—OutstandingPet**, Chicago, IL (US)(\*\*) Term: **14 Years**(21) Appl. No.: **29/411,055**(22) Filed: **Jan. 16, 2012**(51) LOC (10) Cl. .... **30-99**

(52) U.S. Cl.

USPC ..... **D30/199; D10/104.1**(58) **Field of Classification Search**CPC ..... A01K 15/21; A01K 15/22; A01K 15/23; A01K 15/04; A01K 11/006; A01K 27/001; A01K 27/009; H04N 5/4403  
USPC ..... D30/144, 145, 151, 152, 155, 199; D10/104.1, 104.2; D13/168; D14/137, D14/138 AB, 155, 159, 218, 247; 119/712, 119/718, 719, 720, 721, 856, 858, 859, 860, 119/863; 340/573.1, 573.3, 573.4, 539.14, 340/539.15

See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

6,167,843	B1 *	1/2001	Kim	.....	119/720
D445,706	S *	7/2001	Myers et al.	.....	D10/104.1
D446,144	S *	8/2001	Christensen et al.	....	D10/104.1
D462,916	S *	9/2002	Fleetwood et al.	.....	D10/104.1
6,474,269	B2 *	11/2002	So	.....	119/720
6,549,133	B2 *	4/2003	Duncan et al.	.....	340/573.3
6,598,563	B2 *	7/2003	Kim et al.	.....	119/720
D482,630	S *	11/2003	So	.....	D30/199

D491,548 S \* 6/2004 Cho ..... D14/138 AB  
D502,929 S \* 3/2005 Copeland et al. ..... D13/168  
6,860,240 B2 \* 3/2005 Kim et al. ..... 119/719  
D510,077 S \* 9/2005 Oh ..... D14/138 AB  
D510,333 S \* 10/2005 Lodato et al. ..... D14/138 AB  
7,111,586 B2 \* 9/2006 Lee et al. ..... 119/719  
D545,790 S \* 7/2007 Jameson et al. ..... D14/137  
7,607,406 B2 \* 10/2009 So ..... 119/719  
D615,438 S \* 5/2010 Goetzl et al. ..... D10/104.1  
2004/0206310 A1 \* 10/2004 Hutchins ..... 119/720  
2008/0036610 A1 \* 2/2008 Hokuf et al. ..... 340/573.3  
2011/0094454 A1 \* 4/2011 Won ..... 119/720

\* cited by examiner

Primary Examiner — Martie K Holtje

(74) Attorney, Agent, or Firm — Cardinal Law Group

(57) **CLAIM**

An ornamental design for a transceiver, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom, left front perspective view of a transceiver showing my new design;

FIG. 2 is a top, right rear perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a left side elevational view thereof;


FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a top plan view thereof.


The structural elements depicted by broken lines have been shown for the purpose of illustrating portions of the transceiver that form no part of the claimed design.

The broken peripheral lines within the keyhole openings in FIGS. 2 and 5 represent boundaries, the areas within which form no part of the claimed design.


**1 Claim, 6 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**

