



US00D721980S

(12) **United States Design Patent**
Cupertino

(10) **Patent No.:** **US D721,980 S**

(45) **Date of Patent:** **** Feb. 3, 2015**

(54) **MEASUREMENT DEVICE WITH MULTIPLE
DEFINED DISTANCES**

(71) Applicant: **Ronaldo P. Cupertino**, Atlanta, GA
(US)

(72) Inventor: **Ronaldo P. Cupertino**, Atlanta, GA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/476,403**

(22) Filed: **Dec. 13, 2013**

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/70**

(58) **Field of Classification Search**

CPC B25H 7/02; B43L 7/033; B43L 7/027;
B01B 5/242; B01B 3/30; B01B 3/303; B23H
11/003; B23H 7/04

USPC D10/70

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,426,436 A * 2/1969 Perwas 33/567
5,329,703 A * 7/1994 Craig 33/567
7,513,049 B2 * 4/2009 Williams 33/42

* cited by examiner

Primary Examiner — Antoine D Davis

(57) **CLAIM**

The measurement device with multiple defined distances, as shown and described.

DESCRIPTION

FIG. 1 is a perspective upper view of a measurement device with multiple defined distances according to the present invention.

FIG. 2 is a front side view of the measurement device with multiple defined distances of FIG. 1.

FIG. 3 is a rear side view of the measurement device with multiple defined distances of FIG. 1.


FIG. 4 is an upper side view of the measurement device with multiple defined distances of FIG. 1.

FIG. 5 is a bottom side view of the measurement device with multiple defined distances of FIG. 1.

FIG. 6 is a right side view of the measurement device with multiple defined distances of FIG. 1; and,

FIG. 7 is a left side view of the measurement device with multiple defined distances of FIG. 1.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7