



US00D721989S

(12) **United States Design Patent**
Behrens et al.

(10) **Patent No.:** **US D721,989 S**

(45) **Date of Patent:** **** Feb. 3, 2015**

(54) **RAIL LUBRICATION BAR**

(71) Applicant: **Loram Maintenance of Way, Inc.**,
Hamel, MN (US)

(72) Inventors: **Jon T. Behrens**, St. Michael, MN (US);
Venkat Dyavanapalli, Glendale Heights,
IL (US)

(73) Assignee: **Loram Maintenance of Way, Inc.**,
Hamel, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/449,798**

(22) Filed: **Mar. 15, 2013**

(51) **LOC (10) Cl.** **12-03**

(52) **U.S. Cl.**
USPC **D12/49**; D25/119; D25/164

(58) **Field of Classification Search**
CPC B61K 3/00; B61K 3/02; E01B 7/26
USPC D12/49, 42, 50, 414; D8/32, 349, 363,
D8/354; D25/41.1, 43, 44, 42, 38.1, 60,
D25/61, 126, 121, 119; 256/65.09, 65.02,
256/59, 65.11, 65.15, 65.16, 12.5, 13, 13.1,
256/14, 24; 184/3.1; 188/41, 33, 35, 38;
104/91, 93, 94; 105/145, 148, 150
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,585,214	A *	4/1986	Cope	256/65.09
4,962,914	A *	10/1990	Taylor	256/72
D489,464	S *	5/2004	Barnett	D25/119
D489,828	S *	5/2004	Barnett	D25/119
D535,404	S *	1/2007	Bordewyk et al.	D25/38.1
D546,479	S *	7/2007	Aughton et al.	D25/119
D546,974	S *	7/2007	Aughton et al.	D25/119
D547,883	S *	7/2007	Aughton et al.	D25/119
D547,884	S *	7/2007	Aughton et al.	D25/119
D547,885	S *	7/2007	Aughton et al.	D25/119
7,273,131	B2	9/2007	Urmson, Jr. et al.	

D638,778	S *	5/2011	Giddens	D12/414
8,074,772	B2	12/2011	Urmson, Jr. et al.	
D666,320	S *	8/2012	Morton	D25/119
D666,322	S *	8/2012	Morton	D25/119
D666,324	S *	8/2012	Morton	D25/119
D666,742	S *	9/2012	Wiesemann	D25/119
D674,122	S *	1/2013	Sims	D25/119
D674,513	S *	1/2013	Liu	D25/126
D708,353	S *	7/2014	Oetlinger	D25/121
8,795,106	B2 *	8/2014	Guertin	473/471
2009/0146436	A1 *	6/2009	Lindgren et al.	292/198

* cited by examiner

Primary Examiner — Cathron Brooks

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Patterson Thunte
Pedersen, P.A.

(57) **CLAIM**

We claim the ornamental design for rail lubrication bar, as shown and described.

DESCRIPTION

FIG. 1 is top, perspective view of a rail lubrication bar according to an embodiment of the invention.

FIG. 2 is a bottom, perspective view of the rail lubrication bar depicted in FIG. 1.

FIG. 3 is a top view of the rail lubrication bar depicted in FIG. 1.

FIG. 4 is a front view of the rail lubrication bar depicted in FIG. 1.

FIG. 5 is a rear view of the rail lubrication bar depicted in FIG. 1.


FIG. 6 is a bottom view of the rail lubrication bar depicted in FIG. 1.

FIG. 7 is a side view of the rail lubrication bar depicted in FIG. 1; and,

FIG. 8 is a top view of the rail lubrication bar depicted in FIG. 1 illustrating use in a rail environment.

The broken lines shown illustrate environmental structure of the rail lubrication bar, and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

