



US00D722012S

(12) **United States Design Patent**
Belarbi et al.

(10) **Patent No.:** **US D722,012 S**
(45) **Date of Patent:** **** Feb. 3, 2015**

(54) **PNEUMATIC TIRE**

(71) Applicants: **Compagnie Generale des Etablissements Michelin**, Clermont-Ferrand (FR); **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

(72) Inventors: **Houria Belarbi**, Clermont-Ferrand (FR); **Mathieu Vandaele**, Charbonniere-les-Varennnes (FR); **William License**, Clermont-Ferrand (FR)

(73) Assignees: **Compagnie Generale des Etablissements Michelin** (FR); **Michelin Recherche et Technique S.A.** (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/432,788**

(22) Filed: **Sep. 20, 2012**

(30) **Foreign Application Priority Data**

Mar. 20, 2012 (FR) 12 1432

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/564**

(58) **Field of Classification Search**
USPC D12/533-567; 152/209.1-209.9
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D430,515 S * 9/2000 Baker D12/561
D591,220 S * 4/2009 Minagawa D12/549

* cited by examiner

Primary Examiner — George D Kirschbaum
(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and described.

DESCRIPTION



FIG. 1 is a perspective view of a pneumatic tire showing our new design.

FIG. 2 is a front elevational view thereof; and, FIG. 3 is a side elevational view thereof, the other side being a mirror image.

In the drawings, the broken lines defining the inner bead depict environmental subject matter that forms no part of the claimed design. The dash-dot-dot-dashlines reflect the peripheral boundary between the claimed tire tread and the unclaimed sidewall.

The tread pattern is understood to repeat uniformly throughout the circumference of the tire, as shown schematically in solid lines.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3