

US00D722092S

(12) **United States Design Patent**  
**Kobayashi et al.**

(10) **Patent No.:** **US D722,092 S**

(45) **Date of Patent:** **\*\* Feb. 3, 2015**

(54) **FLUID PRESSURE ACTUATOR**

(71) Applicants: **KYB-YS Co., Ltd.**, Nagano (JP);  
**Kayaba Industry Co., Ltd.**, Tokyo (JP)

(72) Inventors: **Nobuyuki Kobayashi**, Nagano (JP);  
**Sadayuki Kamikura**, Nagano (JP);  
**Yasuyuki Nagai**, Nagano (JP)

(73) Assignees: **KYB-YS Co., Ltd.**, Nagano (JP);  
**Kayaba Industry Co., Ltd.**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/478,347**

(22) Filed: **Jan. 3, 2014**

(30) **Foreign Application Priority Data**

Jul. 5, 2013 (JP) ..... 2013-015451

(51) **LOC (10) Cl.** ..... **15-09**

(52) **U.S. Cl.**  
USPC ..... **D15/143; D15/199**

(58) **Field of Classification Search**  
USPC ..... D13/118, 158, 162, 184; D15/1-5, 7, 9,  
D15/143, 148, 149, 199; 74/54, 89.15,  
74/90.15, 411.5, 411, 490.09; 297/14,  
297/325, 327; 310/10, 12, 15, 20, 20.8, 80,  
310/300

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,181,754 A \* 11/1939 White ..... 60/573  
2,705,939 A \* 4/1955 Geyer ..... 92/17  
2,815,005 A \* 12/1957 Geyer ..... 92/17  
3,251,278 A \* 5/1966 Royster ..... 92/18  
3,662,653 A \* 5/1972 Carlson et al. .... 92/15  
4,442,757 A \* 4/1984 Goans ..... 92/82

5,036,664 A \* 8/1991 Camm ..... 60/534  
D346,364 S \* 4/1994 Inoi et al. .... D13/174  
D348,433 S \* 7/1994 Tochiara et al. .... D13/158  
D614,144 S \* 4/2010 Arosio ..... D13/166  
D624,101 S \* 9/2010 Tseng ..... D15/143  
D652,389 S \* 1/2012 Thompson et al. .... D13/158  
8,508,168 B2 \* 8/2013 Duits ..... 318/468  
8,555,737 B2 \* 10/2013 Kohmura ..... 74/89.3  
D693,929 S \* 11/2013 Fagan et al. .... D24/171  
2006/0229617 A1 \* 10/2006 Meller et al. .... 606/62

\* cited by examiner

*Primary Examiner* — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Lowe Hauptman & Ham,  
LLP

(57) **CLAIM**

The ornamental design for a fluid pressure actuator, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a front view of the fluid pressure actuator.  
FIG. 2 is a rear view of the fluid pressure actuator.  
FIG. 3 is a left side view of the fluid pressure actuator.  
FIG. 4 is a right side view of the fluid pressure actuator.  
FIG. 5 is a plan view of the fluid pressure actuator; and,  
FIG. 6 is a bottom view of the fluid pressure actuator.  
The article to which a design is applied is a fluid pressure  
actuator as shown in the drawings. The one end of the fluid  
pressure actuator is attached to the first member. The other  
end of the fluid pressure actuator is attached to the second  
member. The fluid pressure actuator is used as an actuator  
which elongates and contracts according to the fluid pressure  
of the working fluid supplied and discharged through ports  
located at both ends. Further, the fluid pressure actuator  
includes two holding portions near the center to hold piping  
etc. connected to the port.  
The part which is illustrated by a solid line is the part intended  
to obtain the registration of a design as a partial design.

**1 Claim, 3 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

