

US00D722232S

(12) **United States Design Patent**
Rogers

(10) **Patent No.:** **US D722,232 S**

(45) **Date of Patent:** **** Feb. 10, 2015**

(54) **TRAVELKEY POCKET PASSPORT FOR PRINTED MATERIALS**

D404,565 S * 1/1999 Ichihara et al. D3/247
D578,756 S * 10/2008 Huber D3/249
D631,658 S * 2/2011 Jacovides et al. D3/247

(71) Applicant: **Thomas Blaine Rogers**, Ravenna, MI (US)

* cited by examiner

Primary Examiner — Holly Baynham

(72) Inventor: **Thomas Blaine Rogers**, Ravenna, MI (US)

(57) **CLAIM**

The ornamental design for the travelkey pocket passport for printed material, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/442,371**

FIG. 1 is a front perspective view of the travelkey pocket passport format for printed material showing my new design, which is a booklet containing a cover with text pages, whereas the cover has a third panel leaf are part of the claimed design and folded inward between the inside front cover and page 1 of the text. The short broken lines on the third panel leaf represent a die-cut slot through the paper for the insertion of a plastic room key.

(22) Filed: **Feb. 14, 2013**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/249**

(58) **Field of Classification Search**
CPC A45C 1/06; A45C 13/08
USPC 150/136-137, 130, 132, 147; D3/247, D3/249-253

See application file for complete search history.

FIG. 2 is a rear perspective view thereof; where the short, thicker line in the middle of cover fold represents a stitched binding.

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a side perspective view thereof; and,


FIG. 6 is a side perspective view showing the opposite side from that shown in FIG. 5.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,802,502 A * 8/1957 Seamon 150/137
2,816,590 A * 12/1957 Boots 150/137

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6