



US00D722233S

(12) **United States Design Patent**  
**Inskeep**

(10) **Patent No.:** **US D722,233 S**

(45) **Date of Patent:** **\*\* Feb. 10, 2015**

(54) **BATTERY CHARGER CARRYING CASE**

(71) Applicant: **Mathew Inskeep**, Boca Raton, FL (US)

(72) Inventor: **Mathew Inskeep**, Boca Raton, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/476,207**

(22) Filed: **Dec. 12, 2013**

(51) **LOC (10) Cl.** ..... **03-02**

(52) **U.S. Cl.**  
USPC ..... **D3/315**

(58) **Field of Classification Search**

USPC ..... D3/315-318, 303, 304, 265, 307, 308,  
D3/310, 313; D7/600, 607; 224/607, 682;  
206/216, 373; 383/18

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D314,087 S *	1/1991	Macklin	.....	D3/303
D373,514 S *	9/1996	Melk	.....	D7/607
D417,079 S *	11/1999	Heltzel	.....	D3/315
D434,903 S *	12/2000	Bowman et al.	.....	D3/315
6,478,463 B2 *	11/2002	Snider	.....	383/18
D474,022 S *	5/2003	Leighton	.....	D3/315
6,571,998 B2 *	6/2003	Godshaw et al.	.....	224/607
D550,962 S *	9/2007	Eskandry	.....	D3/305
D553,362 S *	10/2007	Godshaw et al.	.....	D3/310
7,311,200 B2 *	12/2007	Godshaw et al.	.....	206/373
7,314,133 B2 *	1/2008	Redzisz	.....	206/373
7,331,454 B2 *	2/2008	Godshaw et al.	.....	206/373
D608,096 S *	1/2010	Noble	.....	D3/318

D613,507 S *	4/2010	Brouard	.....	D3/315
D635,769 S *	4/2011	Sosnovsky	.....	D3/304
D662,714 S *	7/2012	Frیمان	.....	D3/315
D699,437 S *	2/2014	Del Solar et al.	.....	D3/315
2005/0189388 A1 *	9/2005	Godshaw et al.	.....	224/607
2008/0179370 A1 *	7/2008	Williams	.....	224/682

\* cited by examiner

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Charles Hanson

(57) **CLAIM**

I claim the ornamental design for a battery charger carrying case, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the battery charger carrying case showing my new design.

FIG. 2 is a bottom perspective view thereof.

FIG. 3 is a right side view thereof.

FIG. 4 is a left side view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a back view thereof.


FIG. 7 is a top view thereof.

FIG. 8 is a bottom view thereof.

FIG. 9 is top perspective view with the strap unbuckled; and, FIG. 10 is a perspective view of the battery charger carrying case with the battery charger strapped in the case and the front pocket opened.

The broken lines on the battery charger carrying case represent stitching. The broken line showing of a battery charger in FIG. 10 is included for the purpose of illustrating environment and forms no part of the claimed design.

**1 Claim, 10 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10