

US00D722260S

(12)

United States Design Patent

Warmenhoven et al.

(10)

Patent No.:

US D722,260 S

(45)

Date of Patent:

** Feb. 10, 2015

(54)

LOCK PLATE AND HANDLE TRIMSET ASSEMBLY

(71)

Applicant: Belwith Products, LLC, Grandville, MI (US)

(72)

Inventors: David Warmenhoven, Grandville, MI (US); John Jay Dauksas, Burr Ridge, IL (US); Michael Aaron Cohen, Buffalo Grove, IL (US); Gary L. Myers, Monee, IL (US); Kevin Dewald, Grand Haven, MI (US)

(73)

Assignee: Belwith Products, LLC, Grandville, MI (US)

(**)

Term: 14 Years

(21)

Appl. No.: 29/466,632

(22)

Filed: Sep. 10, 2013

(51)

LOC (10) Cl. 08-07

(52)

U.S. Cl. D8/330; D8/350

(58)

Field of Classification Search

CPC E05B 1/00; E05B 1/038; E05B 3/00; E05B 9/00; E05B 9/02; E05B 9/04; E05B 9/10

USPC D8/330, 331, 334, 300, 301, 302, 350; 70/14, 20-22, 57, 57.1, 284-286, 314, 70/DIG. 44

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,187,528	A *	6/1965	Check	70/299
D271,374	S	11/1983	Butts	
4,637,237	A *	1/1987	Witkoski et al.	70/285
D312,565	S *	12/1990	Abraham et al.	D8/301
D354,428	S *	1/1995	Magnusson	D8/331
D365,976	S	1/1996	Chiu	

5,881,585	A *	3/1999	Kang	70/107
D474,103	S	5/2003	Kaiser et al.	
D479,682	S	9/2003	Frolov et al.	
6,733,050	B1 *	5/2004	Yao	292/169
D494,841	S	8/2004	Moon et al.	
D495,943	S	9/2004	Hentschel et al.	
D501,131	S	1/2005	Oskamp et al.	
6,935,149	B1 *	8/2005	Peng et al.	70/472
D520,848	S *	5/2006	Metivier et al.	D8/301
D553,953	S	10/2007	Roberts et al.	
D568,717	S *	5/2008	Longo et al.	D8/341
D581,246	S *	11/2008	Conway	D8/330
D601,877	S *	10/2009	Mitchell et al.	D8/343
D639,135	S	6/2011	Doucet et al.	

(Continued)

OTHER PUBLICATIONS

Yale Security Inc., “Push Button Lever Lock—Real Living,” 1 p, downloaded from <http://www.yaleresidential.com/en/yale/yaleresidential-com/Residential/?groupId=1294297&productId=1294302> on Jan. 6, 2014.

Primary Examiner — Prabhakar Deshmukh
(74) Attorney, Agent, or Firm — Leydig, Voit & Mayer, Ltd.


(57) CLAIM

The ornamental design for a lock plate and handle trimset assembly, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a lock plate and handle trimset assembly showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof. The broken lines of the door indicate an environment. Other broken lines indicate unclaimed portions of the design. None of the broken lines form part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D660,129 S 5/2012 Genord et al.

D685,249 S * 7/2013 Friedli D8/330
D693,666 S * 11/2013 Gianoli et al. D8/330

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5





FIG. 6