

US00D722489S

(12) **United States Design Patent**
Yamazaki

(10) **Patent No.:** **US D722,489 S**
(45) **Date of Patent:** **** Feb. 17, 2015**

- (54) **BOLT**
- (71) Applicant: **Kabushiki Kaisha Yamazaki Active**,
Nangano (JP)
- (72) Inventor: **Tadayoshi Yamazaki**, Nangano (JP)
- (73) Assignee: **Kabushiki Kaisha Yamazaki Active**,
Nagano (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/451,455**
- (22) Filed: **Apr. 2, 2013**
- (51) **LOC (10) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D8/387; D8/397**
- (58) **Field of Classification Search**
USPC D8/387, 397; 411/378, 393, 402-403,
411/6, 435, 437, 510, 427, 337, 429, 400
See application file for complete search history.

- D584,137 S * 1/2009 Edge, Jr. D8/387
- D604,600 S * 11/2009 Lesesky D8/387
- D631,736 S * 2/2011 You D8/387
- D679,988 S * 4/2013 Yamazaki D8/397

* cited by examiner

Primary Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

(57) **CLAIM**

The ornamental design for a bolt, as shown and described.


DESCRIPTION

FIG. 1 is a front view of a bolt showing my new design, the rear view being a mirror image of the front view.
 FIG. 2 is a top plan view of the bolt;
 FIG. 3 is a bottom view of the bolt;
 FIG. 4 is a right view of the bolt, the left view being a mirror image of the right view;
 FIG. 5 is a sectional view taken along line 5-5 of FIG. 2 of the bolt; and,
 FIG. 6 is a perspective view of the bolt.
 The broken lines show portions of the article and form no part of the claimed design.

(56) **References Cited**
 U.S. PATENT DOCUMENTS

- D317,862 S * 7/1991 Yamamoto D8/387
- D482,957 S * 12/2003 Lajeunesse et al. D8/387

1 Claim, 6 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6