



US00D722492S

(12) **United States Design Patent**
Ramsauer

(10) **Patent No.:** **US D722,492 S**
(45) **Date of Patent:** **** Feb. 17, 2015**

(54) **HOLDING CLAMP**

(71) Applicant: **Dieter Ramsauer**, Schwelm (DE)

(72) Inventor: **Dieter Ramsauer**, Schwelm (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/473,342**

(22) Filed: **Nov. 21, 2013**

(30) **Foreign Application Priority Data**

May 25, 2013 (DE) 40 2013 002 319

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/395**

(58) **Field of Classification Search**

USPC D8/354, 356, 371, 385, 394-396;
D19/65, 86; D24/128; 248/74.2, 215,
248/227.1, 49, 300, 301, 316.7, 51, 489;
24/570, 3.12, 292, 297; D32/61;
D11/78.1; D3/215

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,205,546 A * 9/1965 Nelson 24/292
3,499,674 A * 3/1970 Burkholder et al. 292/87
D272,743 S * 2/1984 Knox D15/144
D277,546 S * 2/1985 Trotta D8/349
4,630,338 A * 12/1986 Osterland et al. 24/293
D335,371 S * 5/1993 Meade D32/60
5,263,233 A * 11/1993 Kim et al. 24/295
5,759,004 A * 6/1998 Kuffel 411/508
6,203,240 B1 * 3/2001 Hironaka et al. 403/397
6,371,419 B1 * 4/2002 Ohnuki 248/74.2
6,918,162 B2 * 7/2005 Bodo 24/293
D509,726 S * 9/2005 Diller D8/395
D520,352 S * 5/2006 Knight et al. D8/395
7,120,971 B2 * 10/2006 Osterland et al. 24/295
7,152,281 B2 * 12/2006 Scroggie 24/297

D548,668 S * 8/2007 Walton et al. D12/317
7,318,256 B2 * 1/2008 Lubera et al. 24/295
7,784,159 B2 * 8/2010 Dickinson et al. 24/295
8,220,762 B2 * 7/2012 Stigler et al. 248/231.9
D675,512 S * 2/2013 Gary et al. D8/395
8,370,999 B2 * 2/2013 Camus 24/295
D679,177 S * 4/2013 Craig et al. D8/395
8,458,862 B2 * 6/2013 Reznar 24/292
8,474,111 B2 * 7/2013 Ribes Marti 24/458
D701,112 S * 3/2014 Ukai et al. D8/382
8,793,845 B2 * 8/2014 Benedetti et al. 24/292
2004/0238698 A1 * 12/2004 Shereyk et al. 248/71
2007/0284486 A1 * 12/2007 Smutny et al. 248/74.3

* cited by examiner

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Frommer Lawrence & Haug LLP

(57) **CLAIM**

The ornamental design for a holding clamp, as shown and described.

DESCRIPTION

FIG. 1 shows a top view of the holding clamp in accordance with the invention.

FIG. 2 shows a side view of the holding clamp.

FIG. 3 shows a front view of the holding clamp.

FIG. 4 shows a perspective top view of the holding clamp.

FIG. 5 shows a perspective bottom view of the holding clamp.

FIG. 6 shows the holding clamp, thin wall, and retaining clip separately.

FIG. 7 shows the holding clamp, thin wall, and retaining clip in the assembled state.

FIG. 8 shows the holding clamp in connection with a disassembly tool; and,

FIGS. 9 and 10 show a cross-sectional view and a perspective view, respectively, of the fastening clamp engaging with the disassembly tool.

The broken lines in the figures represent environment only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2





Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10