



US00D722521S

(12) **United States Design Patent**
Kelleghan

(10) **Patent No.:** **US D722,521 S**
(45) **Date of Patent:** **** Feb. 17, 2015**

(54) **BRAIDED BRACELET CLOSURES**

DESCRIPTION

- (71) Applicant: **Bison Designs, LLC**, Longmont, CO (US)
- (72) Inventor: **Brian James Kelleghan**, Longmont, CO (US)
- (73) Assignee: **Bison Designs, LLC**, Longmont, CO (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/469,125**
- (22) Filed: **Oct. 7, 2013**

Related U.S. Application Data

- (62) Division of application No. 29/394,324, filed on Jun. 15, 2011, now Pat. No. Des. 697,447.
- (51) **LOC (10) Cl.** **11-01**
- (52) **U.S. Cl.**
USPC **D11/87**
- (58) **Field of Classification Search**
USPC D11/1-2, 7, 40-44, 46-49, 53, 56, 57,
D11/59-61, 63, 65, 79-83, 86-87, 89-90,
D11/91-92, 99, 101, 106, 114-116,
D11/200-201; 63/3, 3.1, 12-14.9
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- 4,000,627 A * 1/1977 Wahlbeck 63/3.1
- 5,713,218 A * 2/1998 McCabe 63/3.1

(Continued)

OTHER PUBLICATIONS

Half-Hitch-single knot, paracord bracelet (pink), Paracord Projects, paracord-projects.blogspot.com, Mar. 4, 2010.*
(Continued)

Primary Examiner — Zenia Bennett


(74) *Attorney, Agent, or Firm* — Margaret Polson; Polson & Associates, PC

CLAIM

(57) The ornamental design for braided bracelet closures, as shown and described.

FIG. 1 is a top plan view of my new design for a braided bracelet closure.
 FIG. 2 is a bottom plan view of FIG. 1.
 FIG. 3 is a right side elevation view of FIG. 1.
 FIG. 4 is a left side elevation view of FIG. 1.
 FIG. 5 is a front elevation view of FIG. 1.
 FIG. 6 is a back elevation view of FIG. 1.
 FIG. 7 is a top perspective view of the braided bracelet closure in the closed configuration.
 FIG. 8 is a top plan view of a second embodiment of my new design for a braided bracelet closure.
 FIG. 9 is a bottom plan view of FIG. 8.
 FIG. 10 is a right side elevation view of FIG. 8.
 FIG. 11 is a left side elevation view of FIG. 8.
 FIG. 12 is a front elevation view of FIG. 8.
 FIG. 13 is a back elevation view of FIG. 8.
 FIG. 14 is a top perspective view of the braided bracelet closure in the closed configuration.
 FIG. 15 is a top plan view of a third embodiment of my new design for a braided bracelet closure.
 FIG. 16 is a bottom plan view of FIG. 15.
 FIG. 17 is a right side elevation view of FIG. 15.
 FIG. 18 is a left side elevation view of FIG. 15.
 FIG. 19 is a front elevation view of FIG. 15.
 FIG. 20 is a back elevation view of FIG. 15.
 FIG. 21 is a top perspective view of the braided bracelet closure in the closed configuration.
 FIG. 22 is a top plan view of a fourth embodiment of my new design for a braided bracelet closure with the dashed and dotted lines showing the braid and the design on the clock and the broken lines showing the continued length of the braid and the closure cord, which are for illustrative purpose only and forms no part of the claimed design.
 FIG. 23 is a bottom plan view of FIG. 22.
 FIG. 24 is a right side elevation view of FIG. 22.
 FIG. 25 is a left side elevation view of FIG. 22.
 FIG. 26 is a front elevation view of FIG. 22.
 FIG. 27 is a back elevation view of FIG. 22; and,
 FIG. 28 is a top perspective view of the braided bracelet closure in the closed configuration.
 The dashed and dotted lines are an unclaimed boarder and the broken lines showing the continued length of the braid and the closure cord are for illustrative purpose only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D573,056	S	7/2008	Sterling et al.	
D575,659	S *	8/2008	Cunningham	D11/7
D576,511	S	9/2008	Cunningham	
7,788,947	B2	9/2010	Loetscher et al.	
8,171,639	B2 *	5/2012	Jaykins	29/896.411
D681,498	S *	5/2013	Kornerup	D11/16
D691,910	S *	10/2013	Kelleghan	D11/3
2009/0272148	A1	11/2009	Jaykins	
2011/0252649	A1 *	10/2011	Lovitz	30/162
2012/0030860	A1 *	2/2012	Lovitz	2/209.13
2012/0159987	A1 *	6/2012	Walchle et al.	63/3.2
2013/0031935	A1 *	2/2013	Kelleghan	63/1.12

OTHER PUBLICATIONS

Green and Black paracord bracelet, Paracord Accessories, Tips and Tricks, Paracord Projects, paracord-projects.blogspot.com, Apr. 9, 2010.*

Blade HQ [<http://www.bladehq.com/cat--Survival-Bracelets--437>].

Bladeplay Beefsnake Blue Survival Bracelet [<http://www.bladeplay.com/item--Beefsnake-Blue-Survival-Bracelet--8447>].

Messina's Front Line Survival Gear Para Cord Survival Bracelet [http://www.flsgear.com/index.php?c=survival&n=3375251&k=para+cord+survival+bracelet&s=rc&p=2&x=Survival_para_cord_survival_bracelet].

Paracord Paul's Outpost Paracord Survival Bracelets [<http://www.paracordpaulsoutpost.com/cat-paracord-bracelets.cfm>].

U.S. Cavalry 550 Paracord Survival Bracelet [<http://www.uscav.com/productinfo.aspx?productID=21100&TabID=548>].

How to Tie a Paracord Survival Bracelet [http://www.ehow.com/how_7718471_tie-paracord-survival-bracelet.html].

Survival Bracelet Styles [http://www.ehow.com/print/info_8308154_survival-bracelet-styles.html].

Amazon search results for "Survival Bracelet".

Google search results for "Survival Bracelet".

OLDWarrior64, May 22, 2011, survivalistboards.com, p. 3.

DIY Survival Bracelet, Magazine article printed in the Oct. 2010 issue of Backpacker magazine.

Emergency String Hemp Bracelet [<http://www.instructables.com/id/Emergency-String-Hemp-Bracelet/>]. The article shown has an index date of Feb. 11, 2008.

Instructables search results for "survival bracelet" [<http://www.instructables.com/pages/search/search.jsp?cx=partner-pub-1783560022203827%3Anpr2q7v5m6t&cof=FORID%3A11&ie=ISO-8859-1&q=survival+bracelet>].

Instructables search results for "paracord bracelet with a side release" [<http://www.instructables.com/pages/search/search.jsp?cx=partner-pub-1783560022203827%3Anpr2q7v5m6t&cof=FORID%3A11&ie=ISO-8859-1&q=paracord+bracelet+with+a+side+release>].

Paracord bracelet with a side release buckle [<http://www.instructables.com/id/Paracord-bracelet-with-a-side-release-buckle/>].

Paracord Survival Bracelet [<http://theprepared.com/content/view/80/55/>].

Stormdrane's Blog [http://stormdrane.blogspot.com/2006_02_01_archive.htm]. The bracelets shown were all posted in Feb. 2006.

Survival Bracelet (Updated!) [<http://www.instructables.com/id/Survival-Bracelet/>]. The article shown has an index date of Jan. 27, 2010.

How to braid a Survival Bracelet [<http://www.paracordbraiding.com/survival.htm>]. The article has a copyright date of 2008.

www.Survival-Bracelets.com [http://www.survival-bracelets.com/survival_bracelets].

Survival Straps [<http://www.survivalstraps.com/SearchResults.asp?Cat=20>].

Shala-Beads, "Paracord Bracelet", May 17, 2009, www.shala-beads.livejournal.com/313571.html, pp. 1-2.

"How to Make a Paracord Combat Bracelet", Aug. 4, 2010, wikihow.com, p. 1-4.

* cited by examiner




FIG.3

FIG.1

FIG.4

FIG.2




FIG. 5




FIG. 6




FIG. 7




FIG. 11




FIG. 8



FIG. 10



FIG. 9



FIG. 12




FIG. 13




FIG. 14




FIG. 18




FIG. 15



FIG. 17




FIG. 16




FIG. 19




FIG. 20




FIG. 21




FIG. 25




FIG. 22



FIG. 24




FIG. 23




FIG. 26




FIG. 27




FIG. 28

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D722,521 S
APPLICATION NO. : 29/469125
DATED : February 17, 2015
INVENTOR(S) : Brian James Kelleghan

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete Title page, with 1 Claim, 8 Drawing Sheets, and replace with new Title page with 1 Claim, 2 Drawing Sheets. (attached)

In the Drawings

Delete drawing sheets 3-8.

Signed and Sealed this
First Day of September, 2015



Michelle K. Lee
Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D722,521 S**
Kelleghan (45) **Date of Patent:** **** Feb. 17, 2015**

(54) **BRAIDED BRACELET CLOSURES** **DESCRIPTION**

(71) Applicant: **Bison Designs, LLC**, Longmont, CO (US)
 (72) Inventor: **Brian James Kelleghan**, Longmont, CO (US)
 (73) Assignee: **Bison Designs, LLC**, Longmont, CO (US)
 (**) Term: **14 Years**
 (21) Appl. No.: **29/469,125**
 (22) Filed: **Oct. 7, 2013**

Related U.S. Application Data

(62) Division of application No. 29/394,324, filed on Jun. 15, 2011, now Pat. No. Des. 697,447.
 (51) **LOC (10) Cl.** **11-01**
 (52) **U.S. Cl.** **D11/87**
 (58) **Field of Classification Search**
 USPC D11/1 2, 7, 40, 44, 46, 49, 53, 56, 57, D11/59-61, 63, 65, 79-83, 86-87, 89-90, D11/91-92, 99, 101, 106, 114-116, D11/200-201; 63/3, 3.1, 12, 14.9
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,000,627 A * 1/1977 Wahlbeck 63 3.1
 5,713,218 A * 2/1998 McCabe 63 3.1
 (Continued)

OTHER PUBLICATIONS

Half-Hitch-single knot, paracord bracelet (pink), Paracord Projects, paracord-projects.blogspot.com, Mar. 4, 2010 *
 (Continued)

Primary Examiner - Zenia Bennett
 (74) *Attorney, Agent, or Firm* - Margaret Polson, Polson & Associates, PC

(57) **CLAIM**
 The ornamental design for braided bracelet closures, as shown and described

FIG. 1 is a top plan view of my new design for a braided bracelet closure.
 FIG. 2 is a bottom plan view of FIG. 1.
 FIG. 3 is a right side elevation view of FIG. 1.
 FIG. 4 is a left side elevation view of FIG. 1.
 FIG. 5 is a front elevation view of FIG. 1.
 FIG. 6 is a back elevation view of FIG. 1.
 FIG. 7 is a top perspective view of the braided bracelet closure in the closed configuration.
 FIG. 8 is a top plan view of a second embodiment of my new design for a braided bracelet closure.
 FIG. 9 is a bottom plan view of FIG. 8.
 FIG. 10 is a right side elevation view of FIG. 8.
 FIG. 11 is a left side elevation view of FIG. 8.
 FIG. 12 is a front elevation view of FIG. 8.
 FIG. 13 is a back elevation view of FIG. 8.
 FIG. 14 is a top perspective view of the braided bracelet closure in the closed configuration.
 FIG. 15 is a top plan view of a third embodiment of my new design for a braided bracelet closure.
 FIG. 16 is a bottom plan view of FIG. 15.
 FIG. 17 is a right side elevation view of FIG. 15.
 FIG. 18 is a left side elevation view of FIG. 15.
 FIG. 19 is a front elevation view of FIG. 15.
 FIG. 20 is a back elevation view of FIG. 15.
 FIG. 21 is a top perspective view of the braided bracelet closure in the closed configuration.
 FIG. 22 is a top plan view of a fourth embodiment of my new design for a braided bracelet closure with the dashed and dotted lines showing the braid and the design on the clock and the broken lines showing the continued length of the braid and the closure cord, which are for illustrative purpose only and forms no part of the claimed design.
 FIG. 23 is a bottom plan view of FIG. 22.
 FIG. 24 is a right side elevation view of FIG. 22.
 FIG. 25 is a left side elevation view of FIG. 22.
 FIG. 26 is a front elevation view of FIG. 22.
 FIG. 27 is a back elevation view of FIG. 22; and,
 FIG. 28 is a top perspective view of the braided bracelet closure in the closed configuration.
 The dashed and dotted lines are an unclaimed border and the broken lines showing the continued length of the braid and the closure cord are for illustrative purpose only and forms no part of the claimed design.

1 claim, 2 Drawing Sheets

