



US00D722688S

(12) **United States Design Patent**  
**Hamilton**

(10) **Patent No.:** **US D722,688 S**  
(45) **Date of Patent:** **\*\* Feb. 17, 2015**

(54) **MOUTHPIECE FOR BREATH TESTING**

(71) Applicant: **QuinTron Instrument Company, Inc.**,  
Milwaukee, WI (US)

(72) Inventor: **Eric Lyle Hamilton**, South Milwaukee,  
WI (US)

(73) Assignee: **QuinTron Instrument Company, Inc.**,  
Milwaukee, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/460,968**

(22) Filed: **Jul. 17, 2013**

(51) **LOC (10) Cl.** ..... **29-02**

(52) **U.S. Cl.**  
USPC ..... **D24/110; D24/110.5**

(58) **Field of Classification Search**  
USPC ..... D24/107, 110, 110.1, 110.5, 110.6, 127,  
D24/129; 128/200.11, 200.14, 200.21,  
128/200.24, 200.25, 202.27, 203.12,  
128/204.18, 205.24, 205.25, 206.12,  
128/206.15, 206.26, 207.12



See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|             |         |                 |
|-------------|---------|-----------------|
| 1,191,700 A | 7/1916  | Howes           |
| 1,467,615 A | 9/1923  | Fairbanks       |
| 2,795,223 A | 6/1957  | Stampe          |
| 2,893,683 A | 7/1959  | Lane            |
| 3,303,840 A | 2/1967  | Etzlinger       |
| 3,388,705 A | 6/1968  | Grosshandler    |
| 3,410,300 A | 11/1968 | Mondano         |
| 3,426,745 A | 2/1969  | Farr            |
| 3,544,273 A | 12/1970 | McConnaughey    |
| 3,602,531 A | 8/1971  | Patry           |
| 3,734,692 A | 5/1973  | Lucker et al.   |
| 3,777,571 A | 12/1973 | Jaeger          |
| 3,817,108 A | 6/1974  | Principe et al. |
| 3,858,573 A | 1/1975  | Ryan et al.     |
| 3,923,043 A | 12/1975 | Yanda           |
| 3,924,832 A | 12/1975 | Babcock         |
| 4,076,044 A | 2/1978  | Schindling      |

|                   |         |                               |
|-------------------|---------|-------------------------------|
| 4,161,307 A       | 7/1979  | Clinch et al.                 |
| 4,327,741 A       | 5/1982  | Watson et al.                 |
| D266,695 S *      | 10/1982 | Trammll et al. .... D24/110   |
| 4,470,412 A       | 9/1984  | Nowacki et al.                |
| 4,506,665 A       | 3/1985  | Andrews et al.                |
| D280,765 S *      | 9/1985  | Alvino ..... D24/110          |
| 4,544,273 A       | 10/1985 | Berndt                        |
| 4,579,826 A       | 4/1986  | Bolton et al.                 |
| 4,580,556 A       | 4/1986  | Kondur                        |
| 4,585,254 A       | 4/1986  | Adams                         |
| D283,914 S *      | 5/1986  | Garner ..... D24/110          |
| 4,587,989 A       | 5/1986  | Mayhew, Jr.                   |
| 4,646,786 A       | 3/1987  | Herder et al.                 |
| 4,671,298 A       | 6/1987  | Babb et al.                   |
| D294,298 S *      | 2/1988  | Bush ..... D24/110            |
| 4,809,692 A       | 3/1989  | Nowacki et al.                |
| 4,821,737 A       | 4/1989  | Nelson                        |
| 4,827,921 A       | 5/1989  | Rugheimer                     |
| 4,832,015 A       | 5/1989  | Nowacki et al.                |
| 4,852,563 A       | 8/1989  | Gross                         |
| 4,852,583 A       | 8/1989  | Walker                        |
| D307,183 S *      | 4/1990  | Kalayjian ..... D24/110       |
| 4,919,127 A       | 4/1990  | Pell                          |
| 4,938,210 A       | 7/1990  | Shene                         |
| 4,947,861 A       | 8/1990  | Hamilton                      |
| 4,953,547 A       | 9/1990  | Poole, Jr.                    |
| 5,012,803 A       | 5/1991  | Foley et al.                  |
| 5,012,804 A       | 5/1991  | Foley et al.                  |
| 5,042,500 A       | 8/1991  | Norlien et al.                |
| 5,042,501 A       | 8/1991  | Kenny et al.                  |
| 5,062,423 A       | 11/1991 | Matson et al.                 |
| 5,066,597 A       | 11/1991 | Stinson et al.                |
| 5,100,005 A       | 3/1992  | Noble et al.                  |
| D327,338 S *      | 6/1992  | Wallace ..... D24/110.5       |
| 5,137,520 A       | 8/1992  | Maxson et al.                 |
| 5,140,993 A       | 8/1992  | Opekun, Jr. et al.            |
| 5,165,393 A       | 11/1992 | Kawaguchi                     |
| 5,327,901 A       | 7/1994  | Delente                       |
| 5,346,089 A       | 9/1994  | Brown et al.                  |
| 5,432,094 A       | 7/1995  | Delente                       |
| 5,467,776 A       | 11/1995 | Hamilton                      |
| 5,711,306 A       | 1/1998  | Guilluy                       |
| 6,019,122 A       | 2/2000  | Chen                          |
| 6,468,477 B1      | 10/2002 | Hamilton et al.               |
| 6,495,102 B1      | 12/2002 | Suslick et al.                |
| D691,717 S *      | 10/2013 | McLean et al. .... D24/129    |
| D714,435 S *      | 9/2014  | Maguire ..... D24/110         |
| 2004/0157281 A1   | 8/2004  | Hulkower                      |
| 2012/0226183 A1 * | 9/2012  | Christman et al. .... 600/543 |



## FOREIGN PATENT DOCUMENTS

|    |            |         |
|----|------------|---------|
| DE | 4028387    | 3/1992  |
| FR | 1294835    | 4/1962  |
| FR | 2497686    | 7/1982  |
| GB | 2230456    | 10/1990 |
| WO | WO 9311817 | 6/1993  |

## OTHER PUBLICATIONS

Rakow, N. A.; Suslick, K. S. "A Colorimetric Sensor Array for Odour Visualization" *Nature*, vol. 406, Aug. 17, 2000, 4 pages.

Webpage: [www.chemsensing.com/hepatotoxicity.html](http://www.chemsensing.com/hepatotoxicity.html)—ChemSensing, Hepatotoxicity, Dec. 29, 2004, 2 pages.

Webpage: [www.chemsensing.com/elisa.html](http://www.chemsensing.com/elisa.html)—ChemSensing, ELISA, Dec. 29, 2004, 1 page.

\* cited by examiner

*Primary Examiner* — Deanna L Pratt

*Assistant Examiner* — Lilyana Bekic

(74) *Attorney, Agent, or Firm* — Ryan Kromholz & Manion, S.C.

## (57) CLAIM

I claim the ornamental design for a mouthpiece for breath testing, as shown and described.

## DESCRIPTION

FIG. 1 is a front perspective view of a mouthpiece for breath testing showing an attached breath discard bag;

FIG. 2 is a first side view of a mouthpiece for breath testing showing an attached breath discard bag;

FIG. 3 is a second side view of a mouthpiece for breath testing showing an attached breath discard bag;

FIG. 4 is a top view of a mouthpiece for breath testing showing an attached breath discard bag;

FIG. 5 is a bottom view of a mouthpiece for breath testing showing an attached breath discard bag;

FIG. 6 is a front view of a mouthpiece for breath testing showing an attached breath discard bag;

FIG. 7 is a rear view of a mouthpiece for breath testing showing an attached breath discard bag;

FIG. 8 is a front perspective view of a mouthpiece for breath testing showing an attached breath discard bag and an attached discharge tube;

FIG. 9 is a first side view of a mouthpiece for breath testing showing an attached breath discard bag and an attached discharge tube;

FIG. 10 is a second side view of a mouthpiece for breath testing showing an attached breath discard bag and an attached discharge tube;

FIG. 11 is a top view of a mouthpiece for breath testing showing an attached breath discard bag and an attached discharge tube;

FIG. 12 is a bottom view of a mouthpiece for breath testing showing an attached breath discard bag and an attached discharge tube;

FIG. 13 is a front view of a mouthpiece for breath testing showing an attached breath discard bag and an attached discharge tube;

FIG. 14 is a rear view of a mouthpiece for breath testing showing an attached breath discard bag and an attached discharge tube;

FIG. 15 is a front perspective view of a mouthpiece for breath testing showing an attached breath discard bag and attached sample collection tube;

FIG. 16 is a first side view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube;

FIG. 17 is a second side view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube;

FIG. 18 is a top view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube;

FIG. 19 is a bottom view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube;

FIG. 20 is a front view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube;

FIG. 21 is a rear view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube;

FIG. 22 is a front perspective view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection syringe;

FIG. 23 is a first side view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection syringe;

FIG. 24 is a second side view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection syringe;

FIG. 25 is a top view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection syringe;

FIG. 26 is a bottom view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection syringe;

FIG. 27 is a front view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection syringe;

FIG. 28 is a rear view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection syringe;

FIG. 29 is a front perspective view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube and sample collection bag;

FIG. 30 is a first side view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube and sample collection bag;

FIG. 31 is a second side view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube and sample collection bag;


FIG. 32 is a top view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube and sample collection bag;

FIG. 33 is a bottom view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube and sample collection bag;


FIG. 34 is a front view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube and sample collection bag; and,

FIG. 35 is a rear view of a mouthpiece for breath testing showing an attached breath discard bag and an attached sample collection tube and sample collection bag.


The broken line showing of the breath discard bag in FIGS. 1-35, the attached discharge tube in FIGS. 8-14, the attached sample collection tube in FIGS. 15-21, the attached sample collection syringe in FIGS. 22-28, and the attached sample collection tube and sample collection bag in FIGS. 29-35 illustrate the environment of the claimed design and form no part thereof. All other broken lines illustrate portions of the mouthpiece for breath testing that form no part of the claimed design.




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*




*Fig. 7*




*Fig. 8*




*Fig. 9*




*Fig. 10*




*Fig. 11*




*Fig. 12*




*Fig. 13*




*Fig. 14*




*Fig. 15*




*Fig. 16*




*Fig. 17*




*Fig. 18*



*Fig. 19*




*Fig. 20*




*Fig. 21*







*Fig. 22*




*Fig. 23*




*Fig. 24*




*Fig. 25*






*Fig. 26*




*Fig. 27*




*Fig. 28*







*Fig. 32*



*Fig. 33*



*Fig. 34*



*Fig. 35*

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D722,688 S  
APPLICATION NO. : 29/460968  
DATED : February 17, 2015  
INVENTOR(S) : Eric Lyle Hamilton

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page at (56) insert --6,368,558 4/2002 Suslick et al.--

Signed and Sealed this  
Fifteenth Day of September, 2015



Michelle K. Lee  
*Director of the United States Patent and Trademark Office*