



US00D722966S

(12) **United States Design Patent**
Smith

(10) **Patent No.:** **US D722,966 S**
(45) **Date of Patent:** **** Feb. 24, 2015**

(54) **SPLIT, NON-METALLIC ELECTRICAL
INSULATING BUSHING**

(71) Applicant: **Bridgeport Fittings, Inc.**, Stratford, CT
(US)

(72) Inventor: **Lawrence J. Smith**, Stamford, CT (US)

(73) Assignee: **Bridgeport Fittings, Inc.**, Stratford, CT
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/476,342**

(22) Filed: **Dec. 12, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/465,102,
filed on Aug. 23, 2013.

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/129; D13/149; D13/154**

(58) **Field of Classification Search**
USPC D13/129, 133, 149, 154, 184, 199;
170/70 R; 174/665; 439/92
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,279,866 A	4/1942	Ellinwood	
D184,667 S *	3/1959	Cutiss	D13/155
D188,377 S *	7/1960	Martin	D13/152
3,117,388 A	1/1964	Clarke	
3,258,523 A	6/1966	Leonard et al.	
3,365,693 A	1/1968	Browne	
3,492,625 A	1/1970	Bromberg	
3,609,631 A	9/1971	Looney et al.	
3,643,203 A	2/1972	McLaughlin et al.	
3,913,187 A	10/1975	Okuda	
3,967,872 A	7/1976	Mooney et al.	

4,159,859 A	7/1979	Shemtov	
4,176,756 A	12/1979	Gellman	
4,189,198 A	2/1980	Reichman	
4,233,469 A	11/1980	Steppe	
4,478,381 A	10/1984	Pittion et al.	
4,637,097 A	1/1987	Secord	
D307,541 S *	5/1990	Tres	D8/396
D320,384 S *	10/1991	Jacobs	D13/155
5,305,978 A	4/1994	Current	
5,385,373 A	1/1995	Love	
5,653,481 A	8/1997	Alderman	
5,820,048 A	10/1998	Shereyk et al.	
5,873,611 A	2/1999	Munley et al.	
5,906,342 A	5/1999	Kraus	
6,030,006 A	2/2000	Lin	
6,161,589 A	12/2000	Bolotte et al.	
6,164,604 A	12/2000	Cirino et al.	
6,561,471 B1	5/2003	Hawie	

(Continued)

FOREIGN PATENT DOCUMENTS

DE	69707913 T2	6/2002
EP	2141397 A1	1/2010

Primary Examiner — Daniel Bui

(74) *Attorney, Agent, or Firm* — Ware, Fressola, Maguire &
Barber LLP


(57) **CLAIM**

The ornamental design for a split, non-metallic electrical
insulating bushing, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a split, non-metallic elec-
trical insulating bushing showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a lower side elevation view thereof;
FIG. 4 is an upper side elevation view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevation view thereof; and,
FIG. 7 is a right side elevation view thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,708,377 B2

3/2004

Maunder

6,840,782 B1

1/2005

Borden et al.

7,178,203 B2

2/2007

Pearson et al.

7,182,611 B2

2/2007

Borden et al.

7,481,247 B2

1/2009

Friedline et al.

7,740,211 B2

6/2010

Dukes

7,915,545 B1

3/2011

Bixler et al.

8,157,222 B1

4/2012

Shirey et al.

8,220,113 B2

7/2012

Morton et al.

8,231,392 B2

7/2012

Garvin

8,246,095 B2

8/2012

Radle et al.

8,328,458 B2

12/2012

Werth

8,419,449 B1

4/2013

Smith

D691,963 S *

10/2013

Smith D13/155

2005/0205722 A1

9/2005

Krueger

2013/0089994 A1 *

4/2013

Smith 439/100

2013/0133943 A1 *

5/2013

Smith et al. 174/665

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7