

US00D723099S

(12) **United States Design Patent**
Kubota et al.

(10) **Patent No.:** **US D723,099 S**
(45) **Date of Patent:** **** Feb. 24, 2015**

(54) **POWDER CONTAINER**

(71) Applicants: **Tomohiro Kubota**, Ohta-ku (JP); **Sho Tsuritani**, Ohta-ku (JP); **Yoshiyuki Shimizu**, Ohta-ku (JP); **Emi Kita**, Ohta-ku (JP); **Manabu Hamada**, Ohta-ku (JP); **Masato Tsuji**, Ohta-ku (JP); **Naoki Nakatake**, Ohta-ku (JP)

(72) Inventors: **Tomohiro Kubota**, Ohta-ku (JP); **Sho Tsuritani**, Ohta-ku (JP); **Yoshiyuki Shimizu**, Ohta-ku (JP); **Emi Kita**, Ohta-ku (JP); **Manabu Hamada**, Ohta-ku (JP); **Masato Tsuji**, Ohta-ku (JP); **Naoki Nakatake**, Ohta-ku (JP)

(73) Assignee: **Ricoh Company, Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/445,260**

(22) Filed: **Feb. 8, 2013**

(30) **Foreign Application Priority Data**

Dec. 4, 2012 (JP) 2012-029672

(51) **LOC (10) Cl.** **16-03**

(52) **U.S. Cl.**
USPC **D18/43**

(58) **Field of Classification Search**

CPC G03G 2215/00987; G03G 21/181;
G03G 15/0894; G03G 15/0832; G03G 15/751

USPC D18/12, 36, 40, 43, 44, 56; D14/471;
347/49, 50, 86, 197, 222; 399/11, 106,
399/109, 119, 120, 230, 258; 222/DIG. 1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D356,815 S * 3/1995 Nakajima et al. D18/43
D379,634 S * 6/1997 Ootani et al. D18/43
D414,507 S * 9/1999 Nozawa et al. D18/43

D523,066 S * 6/2006 Kimura et al. D18/43
D523,895 S * 6/2006 Ishii et al. D18/43
D579,971 S * 11/2008 Saito et al. D18/43
D627,389 S * 11/2010 Askren et al. D18/43
D695,338 S * 12/2013 Boettcher et al. D18/43
D697,549 S * 1/2014 Wakimoto D18/43
2007/0025758 A1 * 2/2007 William et al. 399/109

OTHER PUBLICATIONS

U.S. Appl. No. 29/439,418, filed Dec. 11, 2012, Kubota, et al.

* cited by examiner

Primary Examiner — Barbara Fox

Assistant Examiner — Chelsea Sealey

(74) *Attorney, Agent, or Firm* — Oblon, Spivak,
McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for a powder container, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a powder container showing our new design;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;



FIG. 7 is a front, bottom, and right side perspective view thereof;

FIG. 8 is an enlarged front elevation view of callout 8 in FIG. 1 thereof; and,

FIG. 9 is an enlarged bottom plan view of callout 9 in FIG. 6 thereof.

The evenly segmented broken lines indicate portions of the article that form no part of the claimed design. The dot dash broken lines indicate cutoff boundaries for enlarged detailed portion views.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 7




FIG. 8




FIG. 9