



US00D723206S

(12) **United States Design Patent**  
**Lewis, Jr. et al.**

(10) **Patent No.:** **US D723,206 S**  
(45) **Date of Patent:** **\*\* Feb. 24, 2015**

(54) **CENTER BEAM HIGH BAY EDGELIT LUMINAIRE**

(71) Applicants: **Paul W. Lewis, Jr.**, Grantville, GA (US);  
**Gregg Lehman**, Peachtree City, GA (US)

(72) Inventors: **Paul W. Lewis, Jr.**, Grantville, GA (US);  
**Gregg Lehman**, Peachtree City, GA (US)

(73) Assignee: **Cooper Technologies Company**,  
Houston, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/467,002**

(22) Filed: **Sep. 13, 2013**

(51) **LOC (10) Cl.** ..... **26-05**

(52) **U.S. Cl.**  
USPC ..... **D26/72; D26/76**

(58) **Field of Classification Search**  
USPC ..... D26/58, 72, 75-79, 80; 362/133, 147,  
362/217.01-219, 221-223, 217.02-217.08,  
362/217.1, 249.02, 605, 607, 614  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D120,548	S	*	5/1940	Guth	.....	D26/77
D122,145	S	*	8/1940	MacCarthy	.....	D26/78
D122,887	S	*	10/1940	Beals	.....	D26/78
D123,067	S	*	10/1940	Rubinstein	.....	D26/77
D128,961	S	*	8/1941	Hrabak	.....	D26/77
D147,812	S	*	11/1947	Picker	.....	D26/78
D257,894	S	*	1/1981	DiBernardo	.....	D26/75
D306,773	S	*	3/1990	Roulstone	.....	D26/78
5,803,589	A	*	9/1998	Lee	.....	362/225
D447,266	S	*	8/2001	Verfuerth	.....	D26/76
D463,059	S	*	9/2002	Verfuerth	.....	D26/78

D485,932	S	*	1/2004	Crane	.....	D26/76
7,207,690	B2	*	4/2007	Haugaard et al.	.....	362/225
7,793,447	B2	*	9/2010	Fang et al.	.....	40/544
D632,418	S	*	2/2011	Bisberg et al.	.....	D26/76
D645,194	S	*	9/2011	Budike et al.	.....	D26/76
D703,858	S	*	4/2014	Miller	.....	D26/76
D711,037	S	*	8/2014	Lehman et al.	.....	D26/77
2010/0128480	A1	*	5/2010	Watanabe et al.	.....	362/249.02

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(57) **CLAIM**

The ornamental design for a center beam high bay edgelit luminaire, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom perspective view of a center beam high bay edgelit luminaire, showing our new design;  
 FIG. 2 is a top perspective view thereof;  
 FIG. 3 is a bottom plan view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a left-side elevation view thereof;  
 FIG. 6 is a right-side elevation view thereof;  
 FIG. 7 is a front elevation view thereof; and  
 FIG. 8 is a rear elevation view thereof;  
 FIG. 9 is a bottom perspective view of another embodiment of a center beam high bay edgelit luminaire, showing our new design;  
 FIG. 10 is a top perspective view thereof;  
 FIG. 11 is a bottom plan view thereof;  
 FIG. 12 is a top plan view thereof;  
 FIG. 13 is a left-side elevation view thereof;  
 FIG. 14 is a right-side elevation view thereof;  
 FIG. 15 is a front elevation view thereof; and,  
 FIG. 16 is a rear elevation view thereof.  
 The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16

