



US00D723558S

(12) **United States Design Patent**
Downs

(10) **Patent No.:** **US D723,558 S**
(45) **Date of Patent:** **** Mar. 3, 2015**

(54) **JOYSTICK MODULE**

(71) Applicant: **Penny & Giles Controls Limited,**
Dorset (GB)

(72) Inventor: **Charles Downs,** Wimborne (GB)

(73) Assignee: **Penny & Giles Controls Limited,**
Christchurch, Dorset (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/450,743**

(22) Filed: **Mar. 21, 2013**

(30) **Foreign Application Priority Data**

Sep. 25, 2012 (GB) 4026475

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/413; D12/133**

(58) **Field of Classification Search**
USPC D14/217, 218, 356, 388, 389, 400, 401,
D14/412-416, 432-434, 454, 496;
D21/324, 332, 333; D34/27, 35; 463/1,
463/30, 36-38, 46, 47; 345/156-161, 905;
D12/174, 178-180, 131, 133; D8/300,
D8/303; D15/138, 142; 74/489, 502.2,
74/523, 551.8, 551.9; D13/168

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|--------------|----|---|---------|------------------|-------|-----------|
| D409,169 | S | * | 5/1999 | Gustafsson | | D14/454 |
| D503,928 | S | * | 4/2005 | Obata | | D13/164 |
| 6,938,923 | B2 | * | 9/2005 | Mulhern et al. | | 280/755 |
| D552,609 | S | * | 10/2007 | Kornblum et al. | | D14/412 |
| D599,829 | S | * | 9/2009 | Jorgensen et al. | | D15/28 |
| D607,457 | S | * | 1/2010 | Hui et al. | | D14/434 |
| D672,397 | S | * | 12/2012 | Wai | | D21/333 |
| D678,848 | S | * | 3/2013 | Dale et al. | | D13/168 |
| D689,529 | S | * | 9/2013 | Hagura et al. | | D15/28 |
| 8,753,208 | B2 | * | 6/2014 | Jaouen et al. | | 463/38 |
| 2014/0083225 | A1 | * | 3/2014 | Downs et al. | | 74/471 XY |

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — James F. Hann; Haynes
Beffel & Wolfeld LLP



(57) **CLAIM**

The ornamental design for a joystick module, as shown and
described.

DESCRIPTION

FIG. 1 is a front, left side and top perspective view of a
joystick module, embodying our new design;
FIG. 2 is a rear, right side and top perspective view thereof;
and,
FIG. 3 is a right side elevation view thereof.
The broken lines are for the purpose of illustrating portions of
the joystick module and form no part of the claimed design.
The joystick module is used to control an electric wheelchair.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3