



US00D723647S

(12) **United States Design Patent**
Oliver

(10) **Patent No.:** **US D723,647 S**
(45) **Date of Patent:** **** Mar. 3, 2015**

(54) **COMPRESSION MODULE FOR FIREARM
SUPPRESSORS**

5,078,043 A 1/1992 Stephens
5,164,535 A 11/1992 Leasure
5,661,255 A 8/1997 Webb
5,679,916 A 10/1997 Weichert

(Continued)

(71) Applicant: **Russell Oliver**, Draper, UT (US)

(72) Inventor: **Russell Oliver**, Draper, UT (US)

(**) Term: **14 Years**

FOREIGN PATENT DOCUMENTS

GB 743111 11/1956

(21) Appl. No.: **29/467,991**

OTHER PUBLICATIONS

(22) Filed: **Sep. 25, 2013**

Wikipedia, Suppressor, <http://en.wikipedia.org/wiki/Suppressor>,
Retrieved Jan. 26, 2010, pp. 1-14.

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**

(58) **Field of Classification Search**
CPC F41A 21/30
USPC D22/108; 89/14.05-14.5; 124/92;
42/76.01-76.1

See application file for complete search history.

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Thorpe North & Western
LLP

(57) **CLAIM**

The ornamental design for a compression module for firearm
suppressors, as shown and described herein.

(56) **References Cited**

U.S. PATENT DOCUMENTS

748,157 A 12/1903 Bouton
822,127 A 5/1906 Hufnagel
916,885 A 3/1909 Maxim
1,341,363 A 5/1920 Fiala
1,427,802 A 9/1922 Goodwin
1,462,158 A 7/1923 Wildner
1,736,319 A 11/1929 Maxim
1,773,443 A 8/1930 Wilman
2,514,996 A 7/1950 Faust, Jr.
3,667,570 A 6/1972 WerBell, III
3,693,750 A 9/1972 Takkunen
4,454,798 A 6/1984 Shea et al.
4,482,027 A 11/1984 Gould
4,501,189 A 2/1985 Brandl et al.
4,510,843 A 4/1985 Rabatin
4,530,417 A 7/1985 Daniel
4,576,083 A 3/1986 Seberger, Jr.
4,907,488 A 3/1990 Seberger
4,974,489 A 12/1990 Fishbaugh
5,010,676 A 4/1991 Kennedy
5,029,512 A 7/1991 Latka
5,036,747 A 8/1991 McClain, III

DESCRIPTION

FIG. 1 is a perspective front view of the octagonal firearm
suppressor, taken from a top-left angle in accordance with my
invention;

FIG. 2 is a perspective front view thereof, taken from a bot-
tom-left angle of FIG. 1;

FIG. 3 is a perspective front view thereof, taken from a top-
right angle of FIG. 1;

FIG. 4 is a perspective front view thereof, taken from a bot-
tom-right angle of FIG. 1;

FIG. 5 is a left side view thereof;

FIG. 6 is a right view thereof;

FIG. 7 is a top view thereof;


FIG. 8 is a bottom view thereof;

FIG. 9 is a front view thereof; and,

FIG. 10 is a back view thereof.

The surface indicia of parallel lines also form no part of the
claimed design and are merely surface shading.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,079,311 A

6/2000

O'Quinn et al.

6,302,009 B1

10/2001

O'Quinn et al.

6,425,310 B1

7/2002

Champion

6,575,074 B1

6/2003

Gaddini

6,796,214 B2

9/2004

Hausken et al.

7,000,547 B2

2/2006

Amick

7,207,258 B1

4/2007

Scanlon

7,237,467 B1

7/2007

Melton

7,308,967 B1

12/2007

Hoel

7,325,474 B2

2/2008

Yoshimura et al.

7,412,917 B2

8/2008

Vais

7,874,238 B2 *

1/2011

Silvers 89/14.4

8,042,448 B1 *

10/2011

Sylvester et al. 89/14.3

8,096,222 B2 *

1/2012

Silvers 89/14.4

D712,997 S *

9/2014

Proske D22/108

2012/0048100 A1 *

3/2012

Davies 89/14.2

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10