



US00D724139S

(12) **United States Design Patent**
Shimizu et al.

(10) **Patent No.:** **US D724,139 S**
(45) **Date of Patent:** **** Mar. 10, 2015**

(54) **PHOTOSENSITIVE DRUM UNIT**

(71) Applicant: **Brother Industries, Ltd.**, Nagoya-shi,
Aichi-ken (JP)

(72) Inventors: **Takashi Shimizu**, Nagoya (JP);
Tokifumi Tanaka, Komaki (JP); **Satoru**
Ishikawa, Kitanagoya (JP); **Keita**
Shimizu, Tsushima (JP)

(73) Assignee: **Brother Industries, Ltd.**, Nagoya (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/494,761**

(22) Filed: **Jun. 24, 2014**

(30) **Foreign Application Priority Data**

Dec. 26, 2013 (JP) 2013-30483

(51) **LOC (10) Cl.** **16-03**

(52) **U.S. Cl.**
USPC **D18/43**

(58) **Field of Classification Search**
USPC D18/12, 36, 40, 43, 44, 54, 56;
D14/471; 347/49, 50, 197, 222;
399/11, 92, 106, 110, 113, 120, 127,
399/230, 254, 350, 353
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D423,559 S * 4/2000 Suzuki et al. D18/40
D507,295 S 7/2005 Ishii et al.
D508,945 S * 8/2005 Ishii et al. D18/43
D509,239 S 9/2005 Ishii et al.
D521,545 S 5/2006 Ishii et al.
D523,894 S 6/2006 Ishii et al.
D523,895 S 6/2006 Ishii et al.
D523,896 S 6/2006 Ishii et al.
D550,763 S 9/2007 Ishikawa et al.

D551,285 S 9/2007 Ishikawa et al.
D579,484 S * 10/2008 Kamimura et al. D18/43
D594,899 S 6/2009 Ogasawara et al.
D594,900 S 6/2009 Ogasawara et al.
D601,183 S * 9/2009 Ishikawa et al. D18/43
D601,184 S 9/2009 Ogasawara et al.
7,873,296 B2 * 1/2011 Ishii et al. 399/90
D637,226 S 5/2011 Sakuma et al.
D638,053 S 5/2011 Sato et al.
D694,814 S * 12/2013 Fukamachi et al. D18/40

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/451,169, filed Mar. 28, 2013 in the name of
Hiroki Mori et al.

Design U.S. Appl. No. 29/451,165, filed Mar. 28, 2013 in the name of
Nao Itabashi et al.

* cited by examiner

Primary Examiner — Eric Goodman

Assistant Examiner — Amy Wierenga

(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**

The ornamental design for a photosensitive drum unit, as
shown and described.

DESCRIPTION

FIG. 1 is a front, top perspective view of a photosensitive
drum unit;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a right-side view thereof;

FIG. 5 is a left-side view thereof;

FIG. 6 is a rear view thereof;


FIG. 7 is a bottom view thereof;

FIG. 8 is a rear, top perspective view thereof; and,

FIG. 9 is a front, bottom perspective view thereof.

The broken lines depict environmental subject matter only
and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9