



US00D724210S

(12) **United States Design Patent**
Wittke et al.

(10) **Patent No.:** **US D724,210 S**
(45) **Date of Patent:** **** Mar. 10, 2015**

(54) **BIPOLAR CUTTING ELECTRODE**

(71) Applicant: **KARL STORZ GmbH & Co. KG**,
Tuttlingen (DE)

(72) Inventors: **Uwe Wittke**, Tuttlingen-Moehringen
(DE); **Frank Doll**, Talheim (DE);
Martin Hahn, Leibertingen-Altheim
(DE)

(73) Assignee: **KARL STORZ GmbH & Co. KG**,
Tuttlingen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/483,885**

(22) Filed: **Mar. 4, 2014**

(30) **Foreign Application Priority Data**

Sep. 2, 2013 (EM) 002300921-0001

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/144**

(58) **Field of Classification Search**
USPC D24/133, 143-144, 147; 606/41,
606/45-47, 49
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,134,406	A *	1/1979	Iglesias	606/46
4,149,538	A *	4/1979	Mrava et al.	606/46
4,649,917	A *	3/1987	Karasawa	606/46
4,917,082	A *	4/1990	Grossi et al.	606/46
5,196,011	A *	3/1993	Korth et al.	606/46
5,582,610	A *	12/1996	Grossi et al.	606/46

5,766,168	A *	6/1998	Mantell	606/46
5,782,829	A *	7/1998	Swiantek et al.	606/46
5,788,694	A *	8/1998	Vancaillie	606/45
5,827,274	A *	10/1998	Bonnet et al.	606/41
5,919,190	A *	7/1999	VanDusseldorp	606/46
D629,100	S *	12/2010	Doll et al.	D24/144
8,348,944	B2 *	1/2013	Van Wyk et al.	606/46
D709,613	S *	7/2014	Wittke	D24/144
D712,032	S *	8/2014	Wittke	D24/144

* cited by examiner

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

(57) **CLAIM**

The ornamental design for a bipolar cutting electrode, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a bipolar cutting electrode according to the present invention.

FIG. 2 is a rear perspective view of the bipolar cutting electrode of FIG. 1.

FIG. 3 is a perspective view of the bipolar cutting electrode of FIG. 1.

FIG. 4 is a top plan view of the bipolar cutting electrode of FIG. 1.



FIG. 5 is a bottom plan view of the bipolar cutting electrode of FIG. 1.

FIG. 6 is a right elevational view of the bipolar cutting electrode of FIG. 1; and,

FIG. 7 is a left elevational view of the bipolar cutting electrode of FIG. 1.

The dashed lines illustrate environment that does not form a part of the present invention, and no claim is made to the material illustrated with dashed lines.

1 Claim, 6 Drawing Sheets






FIG. 1



FIG. 2




FIG.3



FIG.4



FIG.5



FIG. 6



FIG. 7