



US00D725030S

(12) **United States Design Patent**  
**Raatikainen et al.**

(10) **Patent No.:** **US D725,030 S**  
(45) **Date of Patent:** **\*\* Mar. 24, 2015**

(54) **TYRE**

(75) Inventors: **Jouni Raatikainen**, Lempäälä (FI);  
**Henri Kossi**, Nokia (FI); **Niko**  
**Haanketo**, Tampere (FI)

(73) Assignee: **Nokian Tyres PLC**, Nokia (FI)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/423,042**

(22) Filed: **May 25, 2012**

(30) **Foreign Application Priority Data**

Nov. 25, 2011 (EM) ..... 001953142-0003  
Nov. 25, 2011 (EM) ..... 001953142-0004  
Nov. 25, 2011 (EM) ..... 001953142-0005

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/588**

(58) **Field of Classification Search**  
USPC ..... D12/533-567; 152/209.1-209.9  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D569,789 S \* 5/2008 Park ..... D12/579  
D578,059 S \* 10/2008 Fujita ..... D12/588  
D631,429 S \* 1/2011 Takano ..... D12/600

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Klauber & Jackson LLC

(57) **CLAIM**

The ornamental design for a tyre, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, left side perspective view of a tyre showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a right side view thereof, showing a different pattern from that appearing in FIG. 1;

FIG. 4 is a partial front elevation view taken from FIG. 2 and shown in an enlarged scale; and,

FIG. 5 is another partial front elevation view taken from FIG. 2 and shown in an enlarged scale, depicting an asterisk and numerical characters.

**1 Claim, 5 Drawing Sheets**





FIG. 1





FIG. 2






FIG. 3





FIG. 4






FIG. 5

