



US00D725038S

(12) **United States Design Patent**
Nemoto et al.

(10) **Patent No.:** **US D725,038 S**
(45) **Date of Patent:** **** Mar. 24, 2015**

(54) **RECHARGEABLE BATTERY**

(71) Applicant: **Lithium Energy Japan**, Kyoto (JP)

(72) Inventors: **Seiji Nemoto**, Shiga (JP); **Minoru Watanabe**, Shiga (JP); **Yoshihiro Masuda**, Shiga (JP)

(73) Assignee: **Lithium Energy Japan**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/446,574**

(22) Filed: **Feb. 25, 2013**

(30) **Foreign Application Priority Data**

Aug. 31, 2012 (JP) 2012-021121
Aug. 31, 2012 (JP) 2012-021122
Aug. 31, 2012 (JP) 2012-021123

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/119**

(58) **Field of Classification Search**
USPC D13/103, 104, 107, 108, 118, 119
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D311,899 S * 11/1990 Lenzing et al. D13/124
D334,379 S * 3/1993 Sharrah et al. D13/108
D340,027 S * 10/1993 Tortola D13/103

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2009-181896 8/2009
JP 2009-266413 11/2009
JP 2012-069284 4/2012

OTHER PUBLICATIONS

Nemoto et al, "Electric Storage Apparatus", Unpublished U.S. Appl. No. 13/626,527, filed Sep. 25, 2012.

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Brett Miller
(74) *Attorney, Agent, or Firm* — Jianq Chyun IP Office

(57) **CLAIM**
The ornamental design for a rechargeable battery, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and right side perspective view of a rechargeable battery showing a first embodiment of our new design;

FIG. 2 is a front, top, and left side perspective view of the first embodiment;

FIG. 3 is a front view of the first embodiment;

FIG. 4 is a rear view of the first embodiment;

FIG. 5 is a top view of the first embodiment;

FIG. 6 is a bottom view of the first embodiment;

FIG. 7 is a right side view of the first embodiment;

FIG. 8 is a left side view of the first embodiment;

FIG. 9 is a front, top, and right side perspective view of a rechargeable battery showing a second embodiment of our new design;

FIG. 10 is a front, top, and left side perspective view of the second embodiment;

FIG. 11 is a front view of the second embodiment;

FIG. 12 is a rear view of the second embodiment;

FIG. 13 is a top view of the second embodiment;


FIG. 14 is a bottom view of the second embodiment;

FIG. 15 is a right side view of the second embodiment; and,

FIG. 16 is a left side view of the second embodiment.

In the drawings, the broken lines defining portions of the rechargeable battery depict environmental subject matter that forms no part of the claimed design. The dash-dot lines represent the boundary between the claimed portions of the rechargeable battery and the unclaimed portions of the rechargeable battery.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D426,810 S * 6/2000 Wei D13/110
D495,993 S * 9/2004 Krieger et al. D13/107
D510,721 S * 10/2005 Axelrod D13/103
D512,371 S * 12/2005 Axelrod D13/103

D620,881 S * 8/2010 Daniels et al. D13/107
D623,125 S * 9/2010 Kawabata et al. D13/103
8,054,041 B2 * 11/2011 Kim et al. 320/112
D653,204 S * 1/2012 Whiting et al. D13/107
D654,856 S * 2/2012 Inskeep D13/107
2009/0197166 A1 8/2009 Horii et al.
2012/0070700 A1 3/2012 Kerkamm et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16