



US00D725051S

(12) **United States Design Patent**  
**Kao et al.**

(10) **Patent No.:** **US D725,051 S**  
(45) **Date of Patent:** **\*\* Mar. 24, 2015**

(54) **LIGHT EMITTING DEVICE**

(71) Applicant: **Epistar Corporation**, Hsinchu (TW)

(72) Inventors: **Hui-Fang Kao**, Hsinchu (TW);  
**Chih-Chiang Lu**, Hsinchu (TW);  
**Tzu-Chieh Hsu**, Hsinchu (TW);  
**Yi-Ming Chen**, Hsinchu (TW)

(73) Assignee: **Epistar Corporation**, Hsinchu (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/486,520**

(22) Filed: **Mar. 31, 2014**

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/180**

(58) **Field of Classification Search**  
CPC ... H01L 25/167; H01L 25/0753; H01L 27/15;  
H01L 27/156; H01L 31/02; H01L 33/00;  
H01L 33/04; H01L 33/08; H01L 33/10;  
H01L 33/20; H01L 33/38; H01L 33/42;  
H01L 33/48; H01L 33/483; H01L 33/486  
USPC ..... D13/180; D26/1; 257/79, 80, 81, 88,  
257/89, 95, 98, 99, 100, E33.058; 313/483,  
313/498, 500; 362/555, 800

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,462,868	B2 *	12/2008	Li et al. ....	257/79
7,795,610	B2 *	9/2010	Kim et al. ....	257/35
D638,377	S *	5/2011	Yan et al. ....	D13/180
8,076,688	B2 *	12/2011	Kim et al. ....	257/98
8,120,057	B2 *	2/2012	Sano et al. ....	257/99
8,188,505	B2 *	5/2012	Shen et al. ....	257/99
D680,085	S *	4/2013	Wu et al. ....	D13/180
D680,976	S *	4/2013	Lee et al. ....	D13/180
8,884,328	B2 *	11/2014	Lim et al. ....	257/99
2003/0218176	A1 *	11/2003	Zhao et al. ....	257/81
2008/0230791	A1 *	9/2008	Lin et al. ....	257/91
2012/0241808	A1 *	9/2012	Akiyama et al. ....	257/99
2013/0299853	A1 *	11/2013	Chen et al. ....	257/88

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.


(57) **CLAIM**

The ornamental design for a light emitting device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, left perspective view of a light emitting device showing our new design;  
FIG. 2 is a front elevational view of the light emitting device;  
FIG. 3 is a rear elevational view of the light emitting device;  
FIG. 4 is a left side view of the light emitting device;  
FIG. 5 is a right side view of the light emitting device;  
FIG. 6 is a top plan view of the light emitting device; and,  
FIG. 7 is a bottom plan view of the light emitting device.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7