



US00D725759S

(12) **United States Design Patent**  
**Ott**

(10) **Patent No.:** **US D725,759 S**  
(45) **Date of Patent:** **\*\* Mar. 31, 2015**

- (54) **HUMIDITY CONTROL DEVICE**
- (71) Applicant: **Cigars International, Inc.**, Bethlehem, PA (US)
- (72) Inventor: **Bryan J. Ott**, Hellertown, PA (US)
- (73) Assignee: **M & D Wholesale Distributors, Inc.**, Bethlehem, PA (US)

6,432,179	B1	8/2002	Lobovsky et al.	
6,780,227	B2	8/2004	DuBose et al.	
6,942,712	B2	9/2005	Hamanaka et al.	
7,077,187	B2	7/2006	Cagnelli et al.	
D591,172	S *	4/2009	Keberlein et al.	D9/756
7,765,775	B2 *	8/2010	DeFedericis	53/451
7,833,325	B2 *	11/2010	Merdzo	96/108
7,892,327	B2 *	2/2011	Neff	96/108
D637,903	S *	5/2011	Ghiotti et al.	D9/428
D653,767	S *	2/2012	Lovshe	D24/230

(Continued)

(\*\*) Term: **14 Years**

**OTHER PUBLICATIONS**

(21) Appl. No.: **29/486,904**

The Office Action, mailed on Jul. 25, 2014, in related U.S. Appl. No. 14/244,589.

(22) Filed: **Apr. 3, 2014**

(Continued)

(51) **LOC (10) Cl.** ..... **23-04**

(52) **U.S. Cl.**  
USPC ..... **D23/356**

*Primary Examiner* — David Muller

(58) **Field of Classification Search**  
USPC ..... D23/355–366, 352, 369, 332, 333, 335, D23/336, 342, 351; 422/120, 122; 55/356, 55/473, 504; 96/97, 108; 261/DIG. 17, 261/DIG. 65, DIG. 88, DIG. 31; D18/34.6; 131/328, 329; D27/189; D9/756  
See application file for complete search history.

(57) **CLAIM**  
The ornamental design for a humidity control device, as shown and described.

**DESCRIPTION**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,098,421	A	7/1978	Foster	
D306,139	S *	2/1990	Bridel	D9/756
5,105,961	A	4/1992	Noren et al.	
5,158,582	A	10/1992	Onitsuka et al.	
5,169,414	A	12/1992	Panzica et al.	
5,307,945	A	5/1994	Hidding et al.	
5,512,083	A	4/1996	Dunne	
5,702,508	A	12/1997	Moratalla	
D391,670	S *	3/1998	Hargrove	D27/189
5,730,785	A *	3/1998	Idol et al.	96/108
5,901,710	A *	5/1999	Barber	131/274
5,936,178	A *	8/1999	Saari	84/453
5,957,278	A	9/1999	Krawec et al.	
5,975,288	A	11/1999	Crowder et al.	
D435,143	S *	12/2000	Post, Jr.	D27/193
6,244,432	B1	6/2001	Saari et al.	

The present application is related to U.S. patent application Ser. No. 14/244,589, filed on Apr. 3, 2014, entitled “Segmented Portable Humidity Control Device For An Enclosed Volume Storage Device.”

FIG. 1 is a front perspective view of my new design for a humidity control device, featuring the top, front and left sides thereof;

FIG. 2 is a left side elevation view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a rear elevation view thereof;


FIG. 5 is a front elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken line showing of parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

2013/0092684 A1 4/2013 Roger

U.S. PATENT DOCUMENTS

OTHER PUBLICATIONS

8,211,209 B2 7/2012 Neff  
8,257,470 B2\* 9/2012 Lee et al. .... 96/125  
8,317,053 B2 11/2012 Cronin et al.  
2005/0225089 A1 10/2005 Ben-Horin  
2012/0183444 A1 7/2012 Lee

The Notice of Allowance, mailed on Nov. 26, 2014, in related U.S.  
Appl. No. 14/244,589.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7