



US00D725779S

(12) **United States Design Patent**
Braswell, Jr. et al.

(10) **Patent No.:** **US D725,779 S**
(45) **Date of Patent:** **** Mar. 31, 2015**

- (54) **ELECTROMAGNETIC FIELD APPARATUS**
- (71) Applicants: **Allen Braswell, Jr.**, Clearwater, FL
(US); **Jerry I. Jacobson**, Jupiter, FL
(US); **Frank Caruso**, Golden, CO (US)
- (72) Inventors: **Allen Braswell, Jr.**, Clearwater, FL
(US); **Jerry I. Jacobson**, Jupiter, FL
(US); **Frank Caruso**, Golden, CO (US)
- (73) Assignee: **Applied Magnetics, LLC**, Littleton, CO
(US)

6,011,396	A *	1/2000	Eckels et al.	600/415
6,099,459	A	8/2000	Jacobson	
D438,619	S	3/2001	Okada et al.	
D461,249	S	8/2002	Tsuzaki et al.	
6,458,071	B1	10/2002	Jacobson	
D474,277	S	5/2003	Juni	
6,611,702	B2	8/2003	Rohling et al.	
6,733,434	B2	5/2004	Jacobson	
6,971,983	B1 *	12/2005	Cancio	600/9
6,992,486	B2	1/2006	Srinivasan	
D563,555	S	3/2008	Kasai et al.	
7,529,575	B2	5/2009	Rezzonico et al.	
7,944,208	B2 *	5/2011	Dutto et al.	600/415

(Continued)

(**) Term: **14 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/482,408**

WO	WO 00/13749	3/2000
WO	WO 01/15775	3/2001

(22) Filed: **Feb. 18, 2014**

Primary Examiner — Anhdao Doan

Related U.S. Application Data

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(60) Continuation of application No. 29/461,590, filed on Jul. 25, 2013, now Pat. No. Des. 701,960, which is a division of application No. 29/397,808, filed on Jul. 21, 2011, now Pat. No. Des. 689,612.

(57) **CLAIM**

We claim the ornamental design for an electromagnetic field apparatus, as shown and described.

(51) **LOC (10) Cl.** **24-01**

DESCRIPTION

(52) **U.S. Cl.**
USPC **D24/158**

(58) **Field of Classification Search**
USPC D24/158-161, 185, 186; 378/4, 15, 17, 378/21, 23-27, 62, 68, 196-198; 600/407, 600/409, 410, 415, 421, 422, 425, 9, 10, 13, 600/14
See application file for complete search history.

FIG. 1 is a top, side perspective view of an electromagnetic field apparatus comprising the present invention.

FIG. 2 is a top, rear perspective view of the apparatus shown in FIG. 1.

FIG. 3 is a left side elevational view of the apparatus shown in FIGS. 1 and 2. The right side elevational view is a mirror image of the left side elevational view.

FIG. 4 is a front elevational view of the apparatus shown in FIGS. 1, 2, and 3; and,

FIG. 5 is a top plan view of the apparatus shown in FIGS. 1, 2, 3, and 4.


The broken lines in FIGS. 2 and 5 are included for the purpose of illustrating a portion of the electromagnetic field apparatus that forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D323,386	S	1/1992	Perusek
5,386,191	A	1/1995	McCarten
5,426,685	A	6/1995	Pellegrino et al.
D380,832	S	7/1997	Isshiki et al.
D408,915	S	4/1999	Ogiwara
6,004,257	A	12/1999	Jacobson

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,014,846 B2 *	9/2011	Litovitz	600/409	D689,612 S *	9/2013	Braswell et al.	D24/158
D673,682 S	1/2013	Boudier			2007/0276440 A1	11/2007	Jacobson		
					2010/0072996 A1	3/2010	Jacobson et al.		
					2011/0118535 A1 *	5/2011	Muntermann	600/13

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5