US00D725779S

(12) United States Design Patent

Braswell, Jr. et al.

(10) Patent No.: US D725,779 S
(45) Date of Patent: ** Mar. 31, 2015

(54) **ELECTROMAGNETIC FIELD APPARATUS**

(71) Applicants: **Allen Braswell, Jr.**, Clearwater, FL (US); **Jerry I. Jacobson**, Jupiter, FL (US); **Frank Caruso**, Golden, CO (US)

(72) Inventors: **Allen Braswell, Jr.**, Clearwater, FL (US); **Jerry I. Jacobson**, Jupiter, FL (US); **Frank Caruso**, Golden, CO (US)

(73) Assignee: **Applied Magnetics, LLC**, Littleton, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/482,408**

(22) Filed: **Feb. 18, 2014**

Related U.S. Application Data

(60) Continuation of application No. 29/461,590, filed on Jul. 25, 2013, now Pat. No. Des. 701,960, which is a division of application No. 29/397,808, filed on Jul. 21, 2011, now Pat. No. Des. 689,612.

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/158**

(58) **Field of Classification Search**
USPC D24/158–161, 185, 186; 378/4, 15, 17, 378/21, 23–27, 62, 68, 196–198; 600/407, 600/409, 410, 415, 421, 422, 425, 9, 10, 13, 600/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D323,386	S	1/1992	Perusek	
5,386,191	A	1/1995	McCarten	
5,426,685	A	6/1995	Pellegrino et al.	
D380,832	S	7/1997	Isshiki et al.	
D408,915	S	4/1999	Ogiwara	
6,004,257	A	12/1999	Jacobson	
6,011,396	A *	1/2000	Eckels et al.	600/415
6,099,459	A	8/2000	Jacobson	
D438,619	S	3/2001	Okada et al.	
D461,249	S	8/2002	Tsuzaki et al.	
6,458,071	B1	10/2002	Jacobson	
D474,277	S	5/2003	Juni	
6,611,702	B2	8/2003	Rohling et al.	
6,733,434	B2	5/2004	Jacobson	
6,971,983	B1 *	12/2005	Cancio	600/9
6,992,486	B2	1/2006	Srinivasan	
D563,555	S	3/2008	Kasai et al.	
7,529,575	B2	5/2009	Rezzonico et al.	
7,944,208	B2 *	5/2011	Dutto et al.	600/415

(Continued)

FOREIGN PATENT DOCUMENTS

WO	WO 00/13749	3/2000
WO	WO 01/15775	3/2001

Primary Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **CLAIM**

We claim the ornamental design for an electromagnetic field apparatus, as shown and described.

DESCRIPTION

FIG. **1** is a top, side perspective view of an electromagnetic field apparatus comprising the present invention.

FIG. **2** is a top, rear perspective view of the apparatus shown in FIG. **1**.

FIG. **3** is a left side elevational view of the apparatus shown in FIGS. **1** and **2**. The right side elevational view is a mirror image of the left side elevational view.

FIG. **4** is a front elevational view of the apparatus shown in FIGS. **1**, **2**, and **3**; and,

FIG. **5** is a top plan view of the apparatus shown in FIGS. **1**, **2**, **3**, and **4**.

The broken lines in FIGS. **2** and **5** are included for the purpose of illustrating a portion of the electromagnetic field apparatus that forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

8,014,846	B2 *	9/2011	Litovitz	600/409
D673,682	S	1/2013	Boudier	
D689,612	S *	9/2013	Braswell et al.	D24/158
2007/0276440	A1	11/2007	Jacobson	
2010/0072996	A1	3/2010	Jacobson et al.	
2011/0118535	A1 *	5/2011	Muntermann	600/13

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5