



US00D725859S

(12) **United States Design Patent**
Pullen et al.

(10) **Patent No.:** **US D725,859 S**
(45) **Date of Patent:** **** Mar. 31, 2015**

(54) **CLEANING DEVICE**

(71) Applicant: **Environmental Solutions International**, Batavia, IL (US)

(72) Inventors: **Kent L. Pullen**, Downers Grove, IL (US); **Kenneth Arnswald**, Downers Grove, IL (US)

(73) Assignee: **Environmental Solutions International**, Batavia, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/468,412**

(22) Filed: **Sep. 30, 2013**

(51) **LOC (10) Cl.** **04-01**

(52) **U.S. Cl.**
USPC **D32/50**

(58) **Field of Classification Search**
USPC D32/40-45, 50-52; 15/118, 244.1, 15/244.2, 244.3, 244.4, 116.1, 116.2, 15/119.1, 119.2, 104.9, 228, 229.2, 229.4; 401/135-140

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,186,960	A *	6/1916	Wells	15/228
1,249,894	A *	12/1917	Brown	15/229.6
D90,703	S *	9/1933	Glover	D32/3
2,817,867	A	12/1957	Copelin	15/172
D185,727	S *	7/1959	Yamen et al.	D32/50
3,076,216	A	2/1963	Anderson	15/116.2
D214,287	S *	5/1969	Anderson	D32/50
4,524,484	A	6/1985	Graham	16/429
4,794,663	A	1/1989	Vosbikian	15/229.6
D349,375	S *	8/1994	Berti	D32/50
5,406,670	A	4/1995	Juratovac et al.	15/229.2
D407,901	S	4/1999	Burton	D4/135
D414,005	S *	9/1999	Lehnertz	D32/45
D468,878	S *	1/2003	Reede	D32/50
6,842,937	B2	1/2005	Li	15/236.04

D549,415	S *	8/2007	Trotter et al.	D32/50
D591,956	S *	5/2009	Treacy	D4/199
D611,212	S *	3/2010	Kaminer et al.	D32/40
D611,214	S *	3/2010	Kaminer et al.	D32/50
D647,677	S *	10/2011	Dammkoehler	D32/51
8,266,756	B1	9/2012	Kovarik	15/210.1
8,272,801	B2	9/2012	Linzell	401/261
D683,509	S *	5/2013	Tseng	D32/50
D693,078	S *	11/2013	Nordvik	D32/50
2004/0064909	A1	4/2004	Locklear	15/160

(Continued)

FOREIGN PATENT DOCUMENTS

CN	202376042	U	8/2012
GB	1128520	A	9/1968
GB	2 411 578	A	9/2005

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Winston & Strawn LLP

(57) **CLAIM**

The ornamental design for a cleaning device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cleaning element showing our new design;

FIG. 2 is a top view of the cleaning element and support of FIG. 1;

FIG. 3 is a bottom view of the cleaning element and support of FIG. 1;

FIG. 4 is a front view of the cleaning element and support of FIG. 1;



FIG. 5 is a back view of the cleaning element and support of FIG. 1;

FIG. 6 is a right side view of the cleaning element and support of FIG. 1; and,

FIG. 7 is a left side view of the cleaning element and support of FIG. 1.

The broken lines in FIG. 2 depict a portion of the cleaning device that is not part of the claimed design.

1 Claim, 5 Drawing Sheets



US D725,859 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0168748	A1 *	8/2006	Dotterman et al.	15/115	
2007/0186365	A1	8/2007	Armaly, Jr.	15/244.1	
2010/0065082	A1	3/2010	Dinh	134/6	
2005/0283933	A1 *	12/2005	Mitchell et al.	15/144.1	
2006/0117510	A1	6/2006	Sellers	15/160	* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7