



US00D726068S

(12) **United States Design Patent**  
**Minister**

(10) **Patent No.:** **US D726,068 S**

(45) **Date of Patent:** **\*\* Apr. 7, 2015**

- (54) **SETTING FOR A RING**
- (75) Inventor: **Sandra Minister**, Toronto (CA)
- (73) Assignee: **Corona Jewellery Company Inc.**,  
Toronto, Ontario (CA)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/431,006**
- (22) Filed: **Aug. 31, 2012**
- (51) **LOC (10) Cl.** ..... **11-01**
- (52) **U.S. Cl.**  
USPC ..... **D11/92; D11/36**
- (58) **Field of Classification Search**  
CPC ..... A44C 9/00; A44C 9/0007; A44C 9/0015;  
A44C 9/0038; A44C 9/0046; A44C 9/0053;  
A44C 9/0061; A44C 9/0069; A44C 9/0076;  
A44C 17/02; A44C 17/0208; A44C 17/0216;  
A44C 17/0233; A44C 17/0241; A44C 17/025;  
A44C 17/0258; A44C 7/00; A44C 7/001;  
A44C 7/002; A44C 7/003; A44C 7/004  
USPC ..... D11/1, 2, 26-39, 40-42, 79-86, 91, 92;  
63/1.11, 12, 13, 15, 15.1-15.4, 15.45,  
63/15.5, 15.6, 15.65, 15.7, 26-28, 29.1,  
63/29.2  
See application file for complete search history.

- D519,877 S \* 5/2006 Schumacher ..... D11/92
- D542,697 S \* 5/2007 Schumacher ..... D11/91
- D542,698 S \* 5/2007 Schumacher ..... D11/92
- D547,688 S \* 7/2007 Sabet ..... D11/34
- D628,113 S \* 11/2010 Papadimitriou ..... D11/40

**OTHER PUBLICATIONS**

[Online] <http://www.coronajewellery.com/corona/inc/itempopup.asp?displayItem=20&productType=rings&displayType=Rings>.  
Retrieved Aug. 7, 2014.\*  
[Online] [http://www.michaelcfina.com/mcfina\\_images/cms/CathedralSetting\\_medium\\_GLOSSARY\\_IMAGE\\_49468.jpg](http://www.michaelcfina.com/mcfina_images/cms/CathedralSetting_medium_GLOSSARY_IMAGE_49468.jpg).  
Retrieved Aug. 7, 2014.\*

\* cited by examiner

*Primary Examiner* — Garth Rademaker  
*Assistant Examiner* — Melanie Pellegrini  
(74) *Attorney, Agent, or Firm* — Ryan W. Dupuis; Kyle R. Satterthwaite; Ade & Company Inc.

(57) **CLAIM**  
The ornamental design for a setting for a ring, as shown and described.

**DESCRIPTION**


FIG. 1 is a side elevational view of a setting for a ring showing my new design, the opposite side being a mirror image thereto;  
FIG. 2 is a front end elevational view thereof, the rear elevational view being a mirror image thereto;  
FIG. 3 is a perspective view of a top side thereof;  
FIG. 4 is a perspective view of a bottom side thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a side elevational thereof shown in a mounted positioned on a ring.  
The broken lines shown in the drawings of a gemstone and ring represent environmental subject matter which forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D107,313 S \* 12/1937 Fischer ..... D11/92
- D116,337 S \* 8/1939 Gaertner ..... D11/92
- 2,200,841 A \* 5/1940 Gaertner ..... 63/27
- D135,987 S \* 7/1943 Karlan ..... D11/92
- D149,149 S \* 3/1948 Schaeffer ..... D11/92
- D152,252 S \* 1/1949 Gaertner ..... D11/92
- D260,862 S \* 9/1981 Linzer ..... D11/92
- D420,936 S \* 2/2000 Murray ..... D11/92
- 6,298,689 B1 \* 10/2001 Lai ..... 63/26
- D453,121 S \* 1/2002 Bowman ..... D11/91






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6