



US00D726126S

(12) **United States Design Patent**  
**Rizzi et al.**

(10) **Patent No.:** **US D726,126 S**

(45) **Date of Patent:** **\*\* Apr. 7, 2015**

(54) **SWITCHING DEVICE FOR AN ELECTRICAL SWITCHGEAR**

(71) Applicant: **ABB Technology AG**, Zurich (CH)

(72) Inventors: **Corrado Rizzi**, Forno S. Guiovanni (IT); **Francesco Belloni**, Bergamo (IT)

(73) Assignee: **ABB Technology AG**, Zurich (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/444,382**

(22) Filed: **Jan. 30, 2013**

(30) **Foreign Application Priority Data**

Jul. 31, 2012 (EM) ..... 002081570

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/158**

(58) **Field of Classification Search**

CPC ..... H01H 31/28; H01H 33/022; H01H 33/66207; H01H 33/666; H01H 33/6661; H01H 33/027; H01H 33/56; H01H 33/6662; H01H 3/40; H01H 3/46; H01H 9/02; H01H 2033/6667; H01H 2033/6623; H01H 1/5822; H01H 2009/526; H01H 2033/024; H01H 2033/566; H01H 2033/568; H01H 2033/6665; H01H 31/32; H01H 33/127; H01H 33/38; H02B 5/00  
USPC ..... D13/123, 125, 158, 160, 162, 164, 171, D13/159; 439/417-419, 395-404, 465, 695, 439/696, 701; D32/60, 61; 338/179, 198; 174/50, 66, 65 R, 67, 70 R, 77 R, 77 S, 174/92; 200/5 R, 43.11, 43.14, 50.01, 50.15, 200/293, 293.1, 303, 401; 361/42, 44, 45, 361/50, 71, 115, 118, 119, 679; 335/374, 335/68, 132, 202; 15/230.11; 401/121, 127, 401/137, 146, 197; D4/122, 123; D8/373-386; 218/118, 119, 7, 77, 78, 218/79, 2, 102; 251/172

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,527,028 A \* 7/1985 Luehring ..... 218/119  
6,198,062 B1 \* 3/2001 Mather et al. .... 218/152

(Continued)

FOREIGN PATENT DOCUMENTS

CN 2007-20305137.3 12/2008  
CN 2010-2012736.3 4/2011

(Continued)

OTHER PUBLICATIONS

ABB Catalogue, "SFG Gas-insulated indoor switch disconnecter", Release date 2009.

*Primary Examiner* — Thomas Johannes

*Assistant Examiner* — Shawn T Gingrich

(74) *Attorney, Agent, or Firm* — Novak Druce Connolly Bove + Quigg LLP


(57) **CLAIM**

The ornamental design for switching device for an electrical switchgear, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a switching device for an electrical switchgear showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left view thereof;  
FIG. 5 is a right view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
The broken line portion of the figure drawings is included to show unclaimed subject matter only and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D583,332 S \* 12/2008 Shang ..... D13/158  
8,440,930 B2 \* 5/2013 Lee ..... 218/140  
D686,165 S \* 7/2013 Bullock et al. .... D13/158  
D692,839 S \* 11/2013 Shang ..... D13/158  
D693,313 S \* 11/2013 Bullock et al. .... D13/158  
D698,321 S \* 1/2014 Arioka et al. .... D13/160  
D703,152 S \* 4/2014 Holaus et al. .... D13/158  
8,729,985 B2 \* 5/2014 Bullock et al. .... 335/120

2007/0261946 A1\* 11/2007 Yu ..... 200/48 R  
2011/0155697 A1\* 6/2011 Lee ..... 218/140  
2013/0187733 A1\* 7/2013 Bullock et al. .... 335/13  
2013/0248338 A1\* 9/2013 Belloni et al. .... 200/5 A

FOREIGN PATENT DOCUMENTS

DE 20 2010 005 246 U1 9/2010  
EP 1928065 A1 6/2008  
RU 99899 U1 11/2010

\* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6






FIGURE 7