



US00D726389S

(12) **United States Design Patent**
Kesselman

(10) **Patent No.:** **US D726,389 S**

(45) **Date of Patent:** **** Apr. 7, 2015**

(54) **TOILET BRUSH SAFE**

(71) Applicant: **Joshua David Kesselman**, Vancouver
(CA)

(72) Inventor: **Joshua David Kesselman**, Vancouver
(CA)

(73) Assignee: **BBK Tobacco & Foods, LLP**, Phoenix,
AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/479,508**

(22) Filed: **Jan. 16, 2014**

(51) **LOC (10) Cl.** **99-01**

(52) **U.S. Cl.**
USPC **D99/28; D99/37**

(58) **Field of Classification Search**
USPC D6/524, 525, 551; 206/207, 349, 361;
312/206, 207; 4/255.05, 255.11;
D99/28, 30, 37

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D471,393 S *	3/2003	Hutchinson	D6/551
D551,480 S *	9/2007	Dretzka	D6/551
D576,801 S *	9/2008	Dretzka	D6/551
D689,299 S *	9/2013	Kassem Llano et al.	D6/551

* cited by examiner

Primary Examiner — Brian N Vinson

(74) *Attorney, Agent, or Firm* — Weiss & Moy; Jeffrey D. Moy


(57) **CLAIM**

The ornamental design for a toilet brush safe, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a toilet brush safe showing my new design in its open configuration;
FIG. 2 is top view thereof;
FIG. 3 is bottom view thereof, in its closed configuration;
FIG. 4 is a front view thereof, it being understood that the rear, right side, and left side views are all identical; and,
FIG. 5 is a perspective view of the front and bottom thereof, in its open configuration.
The broken line showing of portions of the brush is included for the purpose of illustrating environmental structures and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5