



US00D726570S

(12) **United States Design Patent**
Puterman

(10) **Patent No.:** **US D726,570 S**
(45) **Date of Patent:** **** Apr. 14, 2015**

(54) **LANYARD**
(71) Applicant: **9077-4092 Quebec Inc.**, Montreal
(Quebec) (CA)
(72) Inventor: **David Puterman**, Hampstead (CA)
(73) Assignee: **9077-4092 Quebec Inc.**, Montreal
(Quebec) (CA)
(**) Term: **14 Years**
(21) Appl. No.: **29/437,598**
(22) Filed: **Nov. 19, 2012**

D533,050 S * 12/2006 Kelleghan D8/356
D544,914 S * 6/2007 Blagrove D19/2
D552,009 S * 10/2007 Jemente D11/79
D569,920 S * 5/2008 Falah D21/440
D572,126 S * 7/2008 Tomaka D8/395
D585,196 S * 1/2009 Bundrick D3/318
D590,885 S * 4/2009 Love D19/65
D610,360 S * 2/2010 Midnet D6/358
D629,331 S * 12/2010 Kalbach D11/215
D639,700 S * 6/2011 Adams et al. D11/95
D641,660 S * 7/2011 Cavness D11/157
D644,139 S * 8/2011 Kalbach D11/3
D656,067 S * 3/2012 Dunn D11/184
D666,938 S * 9/2012 Dunn D11/184
D676,354 S * 2/2013 Yancey D11/133
D676,729 S * 2/2013 Kent et al. D8/49

(Continued)

(30) **Foreign Application Priority Data**

May 18, 2012 (CA) 145752

(51) **LOC (10) Cl.** **11-01**

(52) **U.S. Cl.**
USPC **D11/3**

(58) **Field of Classification Search**
CPC A44C 15/0035; A44C 15/005; A44C 9/00;
A44C 7/00; A44C 27/008; A44C 3/001;
A45D 8/36; G09F 21/02
USPC D11/1-41, 43, 44, 66, 79, 80, 86, 95,
D11/98, 157, 184; 63/1.11, 3, 3.1, 3.2, 4,
63/5.1, 5.2, 7, 15, 15.1-15.4, 15.45, 15.5,
63/15.6, 15.65, 15.7; D24/186-188;
D1/126, 127; 24/381, 383
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D469,032 S * 1/2003 Francis D11/86
D473,813 S * 4/2003 Titus et al. D11/66
D525,897 S * 8/2006 Raiman D11/43

Primary Examiner — Garth Rademaker

Assistant Examiner — Llorellys Martinez-Rivera

(74) *Attorney, Agent, or Firm* — Armstrong Teasdale LLP


(57) **CLAIM**

I claim the ornamental design for a lanyard, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a lanyard showing a new design;
FIG. 2 is a front view of the lanyard shown in FIG. 1;
FIG. 3 is a rear view of the lanyard shown in FIG. 1;
FIG. 4 is a right side view of the lanyard shown in FIG. 1, the left side view being a mirror image thereof;
FIG. 5 is a front view of the lanyard shown in FIG. 1 in use;
FIG. 6 is a top view of the lanyard shown in FIG. 1; and
FIG. 7 is a bottom view of the lanyard shown in FIG. 1.
In the drawings, the broken line portions are included to show environmental subject matter only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D726,570 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D677,332 S *	3/2013	Kent et al.	D19/69	
D687,737 S *	8/2013	Japel	D11/96	* cited by examiner
D700,731 S *	3/2014	Schwartz	D26/68	
D703,573 S *	4/2014	Koyne	D11/66	
2011/0035965 A1 *	2/2011	Kay	36/136	




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7