



US00D726649S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D726,649 S**
(45) **Date of Patent:** **** Apr. 14, 2015**

(54) **PORTABLE BATTERY FOR HEAD MOUNT
DISPLAY DEVICE**

(71) Applicant: **LG Electronics Inc.**, Seoul (KR)

(72) Inventors: **Hophil Lee**, Gyeonggi-do (KR);
Eunseok Choi, Gyeonggi-do (KR);
Seungbeom Park, Gyeonggi-do (KR)

(73) Assignee: **LG Electronics Inc.**, Seoul (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/487,879**

(22) Filed: **Apr. 14, 2014**

(30) **Foreign Application Priority Data**

Oct. 15, 2013 (KR) 30-2013-0052108

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**

CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M 2/0212;
H01M 2/1061; H01M 2/1022; H01M 2/1055;
H01M 2/1066; H01M 2/105; H01M 2/204;
H01M 10/4257; H01M 10/0436; H01M 10/48;
G02B 27/017; G02B 27/0158; G02B 27/0161;
G02B 27/0181; G02B 27/0185; G02B 27/0189
USPC D13/102-106, 110, 119-121, 184;
429/96-100, 163, 176; D14/372, 432,
D14/496, 129, 299

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D311,373 S * 10/1990 Morisse et al. D13/119
D334,557 S * 4/1993 Hunter et al. D14/372
D402,651 S * 12/1998 Depay et al. D14/372

D436,960 S * 1/2001 Budd et al. D14/372
6,406,811 B1 * 6/2002 Hall et al. 429/96
6,499,190 B2 * 12/2002 Ruiz Rodriguez 16/423
D468,720 S * 1/2003 Birkholz D14/205
D517,476 S * 3/2006 Green D13/103
D531,134 S * 10/2006 Nielsen et al. D13/162
D593,489 S * 6/2009 Yang D13/103
D701,506 S * 3/2014 Pombo D14/372

(Continued)

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius
LLP

(57) **CLAIM**

The ornamental design for a portable battery for head mount display device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a portable battery for head mount display device showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;


FIG. 8 is a reference view thereof showing the state that the subject design can be attached to the head mount display device;

FIG. 9 is a reference view thereof showing an example of the usage of the subject design in a condition that the subject design has been attached to the head mount display device; and,

FIG. 10 is a reference view thereof showing an example of the usage of the subject design in a condition that the subject design has been detached from the head mount display device.

The broken lines in FIG. 8, FIG. 9 and FIG. 10 show environmental structure only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D711,373 S * 8/2014 Lee et al. D14/372
D714,786 S * 10/2014 Pombo et al. D14/372
D715,295 S * 10/2014 Lee et al. D14/372
D717,796 S * 11/2014 Olsson D14/372

D718,765 S * 12/2014 Olsson D14/372
D719,154 S * 12/2014 Lee et al. D14/372
D719,155 S * 12/2014 Lee et al. D14/372
D719,157 S * 12/2014 Lee et al. D14/372
D719,572 S * 12/2014 Lee et al. D14/372

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

