

US00D726672S

(12) United States Design Patent

(10) Patent No.:

US D726,672 S

Olodort

** Apr. 14, 2015 (45) **Date of Patent:**

MOBILE COMMUNICATION DEVICE Applicant: Robert Olodort, Santa Monica, CA (US) Robert Olodort, Santa Monica, CA Inventor: (US) Assignee: Simple Matters LLC, Santa Monica, CA (US) 14 Years Term: Appl. No.: 29/449,756 Mar. 15, 2013 Filed: U.S. Cl. (52)USPC **D14/138 G**; D14/344; D14/138 R Field of Classification Search (58)H04M 1/0235; H04M 1/0237; H04M 1/0239; H04M 2250/22; H04M 1/03; H04M 1/23; H04M 1/72519; G06F 1/1626 USPC D14/138 G, 138 AD, 138 R, 496, 203.1, D14/203.3, 203.5, 203.7, 248, 218, 341, D14/138 AC, 143, 144, 203.6, 329, 324, D14/344, 225, 228, 233; 455/575.1, 556.1, 455/556.2, 575.3, 575.4, 566; D21/517, D21/329, 331, 324; 379/433.01, 433.04; D13/168; 361/679.3, 679.56; D10/65, D10/78, 41, 37, 15, 22, 2; D28/82

(56)**References Cited**

U.S. PATENT DOCUMENTS

See application file for complete search history.

| 4,202,607 | A | * | 5/1080 | Washizuka et al 349/113 |
|-----------|---|---|---------|-------------------------|
| / / | | | | |
| D284,660 | S | * | 7/1986 | Montague et al D14/144 |
| 5,103,581 | A | * | 4/1992 | Novak 40/547 |
| 5,246,133 | A | * | 9/1993 | James 220/377 |
| D358,149 | S | * | 5/1995 | Fellinger D14/138 AB |
| D367,274 | S | * | 2/1996 | Gobindram D14/149 |
| D386,690 | S | * | 11/1997 | Lewis D10/15 |
| D406,396 | S | * | 3/1999 | Granwehr |
| | | | | |

| D424,749 | S * | 5/2000 | Zalzal D28/76 |
|-------------|------|---------|-----------------------------|
| D427,172 | S * | 6/2000 | Bequir D14/138 AC |
| 6,430,110 | B2 * | 8/2002 | Baroche 368/13 |
| D474,757 | S * | 5/2003 | Takagi D14/509 |
| D488,142 | S * | 4/2004 | Wang et al D14/138 AB |
| 6,728,518 | B1 * | 4/2004 | Scrivens et al 455/90.2 |
| D597,514 | S * | 8/2009 | Gencarella et al D14/138 AC |
| D601,537 | S * | 10/2009 | Wang et al D14/138 R |
| D609,213 | S * | 2/2010 | Yeo |
| D612,352 | S * | 3/2010 | Zhou et al D14/138 AB |
| D624,518 | S * | 9/2010 | Li |
| 7,996,051 | B2 * | 8/2011 | Demuynck 455/575.3 |
| 8,155,692 | B1 * | 4/2012 | Roka 455/550.1 |
| D686,187 | S * | 7/2013 | Dangerfield |
| D707,223 | S * | 6/2014 | Akana et al D14/341 |
| D709,873 | S * | 7/2014 | Aumiller et al D14/344 |
| D709,876 | S * | 7/2014 | Aumiller et al D14/344 |
| D713,404 | S * | 9/2014 | Green |
| D714,288 | S * | 9/2014 | Aumiller et al D14/344 |
| 002/0089414 | A1* | 7/2002 | Boggs et al 340/286.11 |
| 014/0031081 | A1* | 1/2014 | Vossoughi et al 455/556.1 |
| 014/0274216 | A1* | 9/2014 | Olodort 455/566 |
| | | | |

OTHER PUBLICATIONS

Concept Very Original round Sero Phone, posted May 5, 2014, by GloriaSt, [online], [site visited Nov. 14, 2014]. Available from Internet, <URL: http://itechfuture.com/concept-very-originalround-sero-phone/>.*

Futuristic iWatch Concept, posted 8 months ago (Mar. 2014), by Shaikh Rafia, [online], [site visited Nov. 14, 2014]. Available from Internet, <URL: http://wccftech.com/iwatch-concept-gallery/>.* Motorola Digital Butler Concept is Also a Phone, GPS, 4G Device, posted Feb. 14, 2009, by Thrystan, [online], [site visited Nov. 14, 2014]. Available from Internet, <URL: http://www.concept-phones. com/motorola/motorola-digital-butler-concept-phone-gps-4g-device/>.*

Ragio Concept Phone, Fancy Compass-Like Device, posted Jan 7, 2009, by Thrystan, [online], [site visited Nov. 14, 2014]. Available from Internet, <URL: http://www.concept-phones.com/fashionphones/ragio-concept-phone-fancy-compasslike-device/>.*


* cited by examiner


Primary Examiner — Jeffrey D Asch

(74) Attorney, Agent, or Firm — Blakely, Sokoloff, Taylor & Zafman LLP

CLAIM (57)

The ornamental design for a mobile communication device, as shown and described.





DESCRIPTION

- FIG. 1 is a front view of a first embodiment of a mobile communication device, such as, for example, a mobile phone, which includes a speaker, a microphone, a communication system, a touch screen on the front, and a camera on the back, showing my new design.
- FIG. 2 is a back and left side perspective view of the first embodiment of the mobile communication device of FIG. 1. FIG. 3 is a left side view of the first embodiment of the mobile communication device of FIG. 1 wherein the device has been rotated toward the left so that the speaker features centered at the top can be completely seen. The right side view, wherein the device has been rotated toward the right so that the speaker features, which are centered at the top, can be completely seen, has the same appearance.
- FIG. 4 is a front and bottom perspective view of the first embodiment of the mobile communication device.
- FIG. **5** is a top and front perspective view of the first embodiment of the mobile communication device and shows holes for the speaker at the top.
- FIG. 6 is a back view of the first embodiment of the mobile communication device of FIG. 1 and shows the camera on the back.
- FIG. 7 is a front view of a second embodiment of a mobile communication device which includes a speaker, a microphone, a communication system, a touch screen on the front, and a camera on the back.
- FIG. 8 is a back and left side perspective view of the second embodiment of the mobile communication device of FIG. 7. FIG. 9 is a left side view of the second embodiment of the mobile communication device of FIG. 7 wherein the device

- has been rotated toward the left so that the speaker features, which are centered at the top, can be completely seen. The right side view, wherein the device has been rotated toward the right so that the speaker features, which are centered at the top, can be completely seen, has the same appearance.
- FIG. 10 is a front and bottom perspective view of the second embodiment of the mobile communication device of FIG. 7. FIG. 11 is a top and front perspective view of the second embodiment of the mobile communication device of FIG. 7. FIG. 12 is a back view of the second embodiment of the mobile communication device of FIG. 7.
- FIG. 13 is a front view of a third embodiment of a mobile communication device which includes a speaker, a communication system, a microphone, a touch screen on the front and a camera on the back.
- FIG. 14 is a back and left side perspective view of the third embodiment of the mobile communication device of FIG. 13. FIG. 15 is a left side view of the third embodiment of the mobile communication device of FIG. 13 wherein the device has been rotated toward the left so that the speaker features, which are centered at the top, can be completely seen. The right side view, wherein the device has been rotated toward the right so that the speaker features, which are centered at the top, can be completely seen, has the same appearance.
- FIG. 16 is a front and bottom perspective view of the third embodiment of the mobile communication device of FIG. 13. FIG. 17 is a top and front perspective view of the third embodiment of the mobile communication device of FIG. 13; and,
- FIG. 18 is a back view of the third embodiment of the mobile communication device of FIG. 13.

1 Claim, 9 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18