



US00D726672S

(12) **United States Design Patent**  
**Olodort**

(10) **Patent No.:** **US D726,672 S**  
(45) **Date of Patent:** **\*\* Apr. 14, 2015**

(54) **MOBILE COMMUNICATION DEVICE**

(71) Applicant: **Robert Olodort**, Santa Monica, CA  
(US)

(72) Inventor: **Robert Olodort**, Santa Monica, CA  
(US)

(73) Assignee: **Simple Matters LLC**, Santa Monica,  
CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/449,756**

(22) Filed: **Mar. 15, 2013**

(51) **LOC (10) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/138 G; D14/344; D14/138 R**

(58) **Field of Classification Search**

CPC ..... H04M 1/02; H04M 1/0202-1/035;  
H04M 1/0235; H04M 1/0237; H04M 1/0239;  
H04M 2250/22; H04M 1/03; H04M 1/23;  
H04M 1/72519; G06F 1/1626  
USPC ..... D14/138 G, 138 AD, 138 R, 496, 203.1,  
D14/203.3, 203.5, 203.7, 248, 218, 341,  
D14/138 AC, 143, 144, 203.6, 329, 324,  
D14/344, 225, 228, 233; 455/575.1, 556.1,  
455/556.2, 575.3, 575.4, 566; D21/517,  
D21/329, 331, 324; 379/433.01, 433.04;  
D13/168; 361/679.3, 679.56; D10/65,  
D10/78, 41, 37, 15, 22, 2; D28/82

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,202,607	A *	5/1980	Washizuka et al.	349/113
D284,660	S *	7/1986	Montague et al.	D14/144
5,103,581	A *	4/1992	Novak	40/547
5,246,133	A *	9/1993	James	220/377
D358,149	S *	5/1995	Fellinger	D14/138 AB
D367,274	S *	2/1996	Gobindram	D14/149
D386,690	S *	11/1997	Lewis	D10/15
D406,396	S *	3/1999	Granwehr	D28/76

D424,749	S *	5/2000	Zalzal	D28/76
D427,172	S *	6/2000	Bequir	D14/138 AC
6,430,110	B2 *	8/2002	Baroche	368/13
D474,757	S *	5/2003	Takagi	D14/509
D488,142	S *	4/2004	Wang et al.	D14/138 AB
6,728,518	B1 *	4/2004	Scrivens et al.	455/90.2
D597,514	S *	8/2009	Gencarella et al.	D14/138 AC
D601,537	S *	10/2009	Wang et al.	D14/138 R
D609,213	S *	2/2010	Yeo	D14/203.1
D612,352	S *	3/2010	Zhou et al.	D14/138 AB
D624,518	S *	9/2010	Li	D14/138 AD
7,996,051	B2 *	8/2011	Demuyneck	455/575.3
8,155,692	B1 *	4/2012	Roka	455/550.1
D686,187	S *	7/2013	Dangerfield	D14/203.6
D707,223	S *	6/2014	Akana et al.	D14/341
D709,873	S *	7/2014	Aumiller et al.	D14/344
D709,876	S *	7/2014	Aumiller et al.	D14/344
D713,404	S *	9/2014	Green	D14/344
D714,288	S *	9/2014	Aumiller et al.	D14/344
2002/0089414	A1 *	7/2002	Boggs et al.	340/286.11
2014/0031081	A1 *	1/2014	Vossoughi et al.	455/556.1
2014/0274216	A1 *	9/2014	Olodort	455/566

**OTHER PUBLICATIONS**

Concept Very Original round Sero Phone, posted May 5, 2014, by GloriaSt, [online], [site visited Nov. 14, 2014]. Available from Internet, <URL: <http://itechfuture.com/concept-very-original-round-sero-phone/>>.\*

Futuristic iWatch Concept, posted 8 months ago (Mar. 2014), by Shaikh Rafia, [online], [site visited Nov. 14, 2014]. Available from Internet, <URL: <http://wccfttech.com/iwatch-concept-gallery/>>.\*

Motorola Digital Butler Concept is Also a Phone, GPS, 4G Device, posted Feb. 14, 2009, by Thyrstan, [online], [site visited Nov. 14, 2014]. Available from Internet, <URL: <http://www.concept-phones.com/motorola/motorola-digital-butler-concept-phone-gps-4g-device/>>.\*

Ragio Concept Phone, Fancy Compass-Like Device, posted Jan 7, 2009, by Thyrstan, [online], [site visited Nov. 14, 2014]. Available from Internet, <URL: <http://www.concept-phones.com/fashion-phones/ragio-concept-phone-fancy-compasslike-device/>>.\*



\* cited by examiner

*Primary Examiner* — Jeffrey D Asch

(74) *Attorney, Agent, or Firm* — Blakely, Sokoloff, Taylor & Zafman LLP

(57) **CLAIM**

The ornamental design for a mobile communication device, as shown and described.



**DESCRIPTION**

FIG. 1 is a front view of a first embodiment of a mobile communication device, such as, for example, a mobile phone, which includes a speaker, a microphone, a communication system, a touch screen on the front, and a camera on the back, showing my new design.

FIG. 2 is a back and left side perspective view of the first embodiment of the mobile communication device of FIG. 1.

FIG. 3 is a left side view of the first embodiment of the mobile communication device of FIG. 1 wherein the device has been rotated toward the left so that the speaker features centered at the top can be completely seen. The right side view, wherein the device has been rotated toward the right so that the speaker features, which are centered at the top, can be completely seen, has the same appearance.

FIG. 4 is a front and bottom perspective view of the first embodiment of the mobile communication device.

FIG. 5 is a top and front perspective view of the first embodiment of the mobile communication device and shows holes for the speaker at the top.

FIG. 6 is a back view of the first embodiment of the mobile communication device of FIG. 1 and shows the camera on the back.

FIG. 7 is a front view of a second embodiment of a mobile communication device which includes a speaker, a microphone, a communication system, a touch screen on the front, and a camera on the back.

FIG. 8 is a back and left side perspective view of the second embodiment of the mobile communication device of FIG. 7.

FIG. 9 is a left side view of the second embodiment of the mobile communication device of FIG. 7 wherein the device

has been rotated toward the left so that the speaker features, which are centered at the top, can be completely seen. The right side view, wherein the device has been rotated toward the right so that the speaker features, which are centered at the top, can be completely seen, has the same appearance.

FIG. 10 is a front and bottom perspective view of the second embodiment of the mobile communication device of FIG. 7.

FIG. 11 is a top and front perspective view of the second embodiment of the mobile communication device of FIG. 7.

FIG. 12 is a back view of the second embodiment of the mobile communication device of FIG. 7.

FIG. 13 is a front view of a third embodiment of a mobile communication device which includes a speaker, a communication system, a microphone, a touch screen on the front and a camera on the back.

FIG. 14 is a back and left side perspective view of the third embodiment of the mobile communication device of FIG. 13.

FIG. 15 is a left side view of the third embodiment of the mobile communication device of FIG. 13 wherein the device has been rotated toward the left so that the speaker features, which are centered at the top, can be completely seen. The right side view, wherein the device has been rotated toward the right so that the speaker features, which are centered at the top, can be completely seen, has the same appearance.


FIG. 16 is a front and bottom perspective view of the third embodiment of the mobile communication device of FIG. 13.

FIG. 17 is a top and front perspective view of the third embodiment of the mobile communication device of FIG. 13; and,


FIG. 18 is a back view of the third embodiment of the mobile communication device of FIG. 13.

**1 Claim, 9 Drawing Sheets**







**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**




FIG. 5







FIG. 6




**FIG. 7**



**FIG. 8**



**FIG. 9**



**FIG. 10**






FIG. 11






FIG. 12





**FIG. 13**



**FIG. 14**




FIG. 15




FIG. 16




FIG. 17




FIG. 18