



US00D726882S

(12) **United States Design Patent**  
**Maeda et al.**

(10) **Patent No.:** **US D726,882 S**  
(45) **Date of Patent:** **\*\* Apr. 14, 2015**

(54) **RESIDUAL PRESSURE EXHAUST VALVE  
SPACER**

(71) Applicants: **Naoyuki Maeda**, Tsukubamirai (JP);  
**Takashi Murakami**, Tsukubamirai (JP);  
**Shinji Miyazoe**, Tsukubamirai (JP)

(72) Inventors: **Naoyuki Maeda**, Tsukubamirai (JP);  
**Takashi Murakami**, Tsukubamirai (JP);  
**Shinji Miyazoe**, Tsukubamirai (JP)

(73) Assignee: **SMC Corporation**, Chiyoda-ku, Tokyo  
(JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/482,899**

(22) Filed: **Feb. 24, 2014**

(30) **Foreign Application Priority Data**

Oct. 3, 2013 (JP) ..... 2013-023170

(51) **LOC (10) Cl.** ..... **23-01**

(52) **U.S. Cl.**  
USPC ..... **D23/249**

(58) **Field of Classification Search**  
CPC ..... F16K 15/18; F16K 31/0675; F16K 31/02;  
F16K 31/046; F16K 31/042  
USPC ..... D23/233-250; 137/554, 625.65;  
73/756; 123/406.69; 251/129.01,  
251/129.11, 129.15  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D426,615 S \* 6/2000 Sato et al. .... D23/233  
6,129,115 A \* 10/2000 Janssen et al. .... 137/625.65  
6,167,762 B1 \* 1/2001 Miyazoe ..... 73/756  
6,227,248 B1 \* 5/2001 Miyazoe ..... 137/883  
6,612,333 B2 \* 9/2003 Miyazoe et al. .... 137/554  
D623,270 S \* 9/2010 Fukano et al. .... D23/233  
7,871,060 B2 \* 1/2011 Armour ..... 251/129.15  
D631,944 S \* 2/2011 Karmel et al. .... D23/233

D700,286 S \* 2/2014 Okitsu et al. .... D23/235  
2002/0040735 A1 \* 4/2002 Miyazoe et al. .... 137/554  
2014/0151588 A1 \* 6/2014 Huang et al. .... 251/129.01  
2014/0224355 A1 \* 8/2014 Okitsu et al. .... 137/505.11

**OTHER PUBLICATIONS**

Orbit Website Search, Dec. 15, 2014, 1/1 Designs Questel Pinch Valve, shown in pp. 1-4.\*

\* cited by examiner

*Primary Examiner* — Cynthia Ramirez

*Assistant Examiner* — Gino Colan

(74) *Attorney, Agent, or Firm* — Yokoi & Co., U.S.A.;  
Toshiyuki Yokoi

(57) **CLAIM**

The ornamental design for a residual pressure exhaust valve spacer, as shown and described.

**DESCRIPTION**

FIG. 1 shows a front view of a residual pressure exhaust valve spacer showing our new design;  
FIG. 2 shows a rear view thereof;  
FIG. 3 shows a right side view thereof;  
FIG. 4 shows a left side view thereof;  
FIG. 5 shows a top view thereof;  
FIG. 6 shows a bottom view thereof;  
FIG. 7 shows a top, front and left side perspective view thereof;  
FIG. 8 shows a top, rear and right side perspective view thereof;  
FIG. 9 shows a bottom, front and right side perspective view thereof;  
FIG. 10 shows a top, front and right side perspective view thereof in use with an electromagnetic valve body; and,  
FIG. 11 shows a top, front and right side perspective view thereof in use with an electromagnetic valve body, wherein a lever is shown in an alternative position.  
The portions of the design shown in broken lines in FIGS. 1-11 are for the purpose of illustrating the environment only and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10






FIG. 11

