



US00D727174S

(12) **United States Design Patent**
Pennington

(10) **Patent No.:** **US D727,174 S**

(45) **Date of Patent:** **** Apr. 21, 2015**

(54) **CONCEALMENT CLOCK**

(71) Applicant: **Billy Pennington**, Little Rock, AR (US)

(72) Inventor: **Billy Pennington**, Little Rock, AR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/473,680**

(22) Filed: **Nov. 25, 2013**

(51) **LOC (10) Cl.** **10-01**

(52) **U.S. Cl.**
USPC **D10/2; D10/18; D10/28**

(58) **Field of Classification Search**

CPC G04B 19/00; G04B 19/04; G04B 19/043;
G04B 37/0066; G04B 37/1473; G04B 47/00;
G04B 47/02
USPC D10/1-29, 122-132; D6/401, 432, 559;
D19/64; D22/108; D99/28; 368/10, 76,
368/80, 84, 223, 228, 232, 233, 276-282,
368/285, 294; 434/304; 206/216

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D3,463	S	*	4/1869	Terry	D10/28
D3,476	S	*	5/1869	Terry	D10/28
923,991	A	*	6/1909	McGraw	368/285
D40,468	S	*	1/1910	Wheaton	D6/401
D55,854	S	*	7/1920	Fisher	D10/2
1,650,123	A	*	11/1927	Gritton	368/233
D85,368	S	*	10/1931	De Pree	D10/28
2,853,182	A	*	9/1958	Barnett	206/216
D235,523	S	*	6/1975	Miller	D10/2
D252,430	S	*	7/1979	Oakley et al.	D6/432
D302,137	S	*	7/1989	Leavitt	D10/129
5,751,667	A	*	5/1998	Nunes	368/223
D413,271	S	*	8/1999	Wu	D10/2
D416,202	S	*	11/1999	Wu	D10/2
6,158,868	A	*	12/2000	Chien	362/84
D462,276	S	*	9/2002	Hall et al.	D10/2
D562,703	S	*	2/2008	Collins	D10/28

D601,041	S	*	9/2009	Yadon et al.	D10/2
D609,582	S	*	2/2010	Pennington	D10/2
8,096,702	B2	*	1/2012	Grotell et al.	368/294
8,289,814	B2	*	10/2012	Chien	368/80
2012/0269041	A1	*	10/2012	Chien	368/10

* cited by examiner

Primary Examiner — Martie K Holtje

(74) *Attorney, Agent, or Firm* — Joe D. Calhoun

(57) **CLAIM**



The ornamental design for a concealment clock, as shown and described.

DESCRIPTION

FIG. 1 is a left front perspective view of a concealment clock showing a first embodiment of my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a front elevational view thereof with the front panel hinged open at the top;
 FIG. 7 is a second embodiment of my design of FIG. 1, with the front panel hinged open at the bottom, the remainder of the views being identical to FIGS. 1 through 5;
 FIG. 8 is a third embodiment of my design of FIG. 1, with the front panel hinged open on the left, the remainder of the views being identical to FIGS. 1 through 5;
 FIG. 9 is a fourth embodiment of my design of FIG. 1, with the front panel hinged open on the right, the remainder of the views being identical to FIGS. 1 through 5;
 FIG. 10 is a top plan view of the embodiments of FIGS. 1, 7, 8, and 9; and,
 FIG. 11 is a bottom plan view of the embodiments of FIGS. 1, 7, 8, and 9.

The structural elements (the numerals, hands, and battery housing) depicted by broken lines in the drawings have been shown for the purpose of illustrating portions of the concealment clock that form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11