



US00D727180S

(12) **United States Design Patent**
Lai et al.

(10) **Patent No.:** **US D727,180 S**
(45) **Date of Patent:** **** Apr. 21, 2015**

(54) **THERMOSTAT**

454/229, 239, 256, 257, 258; 700/18,
700/159, 181, 276, 277, 278

(71) Applicant: **HaiLin Energy Technology Inc.,**
Beijing (CN)

See application file for complete search history.

(72) Inventors: **Zhiwei Lai, Beijing (CN); Haiqing Li,**
Beijing (CN)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **HaiLin Energy Technology Inc.,**
Beijing (CN)

D646,990	S	*	10/2011	Rhodes	D10/50
D659,560	S	*	5/2012	Rhodes	D10/50
D666,927	S	*	9/2012	Krumpe et al.	D10/50
D673,467	S	*	1/2013	Lee et al.	D10/50
D678,084	S	*	3/2013	Beland et al.	D10/50
8,527,096	B2	*	9/2013	Pavlak et al.	700/276

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/480,692**

Primary Examiner — Antoine D Davis

(22) Filed: **Jan. 28, 2014**

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield & Sacks,
P.C.

(30) **Foreign Application Priority Data**

Dec. 18, 2013 (CN) 2013 3 0631141

(51) **LOC (10) CL.** **10-04**

(52) **U.S. CL.**
USPC **D10/50**

(57) **CLAIM**

The ornamental design for a thermostat, as shown and described.

(58) **Field of Classification Search**


CPC F23N 5/20; F23N 5/203; F23N 5/206;
F23N 5/18; F23N 5/184; F23N 5/187; F23N
5/22; F23N 2025/12; F23N 2041/02; F24F
11/00; F24F 11/0012; F24F 11/0009; F24F
11/001; F24F 2011/0057; F24F 2011/0073;
F24F 2011/0091

USPC D10/49–50, 103; D13/162; 55/279,
55/DIG. 7; 62/176.6, 125–130, 78, 180,
62/186; 73/23.2, 23.34, 31.01, 31.02, 431,
73/170.16–170.19, 170.21–170.25,
73/863.12, 29.02, 335.01–335.14;
220/3.2; 236/46 R, 47, 94, 44 C, 44 R,
236/49.3, 44 A, 96, 1 B, 1 C, 1 E, 1 EA, 1 EB,
236/1 F, 1 G, 1 H, 9 R; 337/112, 327, 360;
340/602, 627, 632, 634; 349/56–72;

DESCRIPTION

FIG. 1 is a front view of a thermostat according to the present application;
FIG. 2 is a rear view of the thermostat according to the present application;
FIG. 3 is a left view of the thermostat according to the present application;
FIG. 4 is a right view of the thermostat according to the present application;
FIG. 5 is a top view of the thermostat according to the present application;
FIG. 6 is a bottom view of the thermostat according to the present application; and,
FIG. 7 is a perspective view of the thermostat according to the present application.

1 Claim, 7 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7