



US00D727366S

(12) **United States Design Patent**
Furuki et al.

(10) **Patent No.:** **US D727,366 S**
(45) **Date of Patent:** **** Apr. 21, 2015**

(54) **ARMREST FOR CONSTRUCTION EQUIPMENT**

D588,613 S * 3/2009 Schroeder et al. D15/17
8,226,155 B2 * 7/2012 Hill et al. 296/190.01
2007/0145805 A1 * 6/2007 Bower 297/411.21

(71) Applicant: **Kubota Corporation**, Osaka, Osaka (JP)

* cited by examiner

(72) Inventors: **Taiki Furuki**, Sakai (JP); **Ryohei Sumiyoshi**, Sakai (JP); **Satoshi Tajima**, Sakai (JP); **Shigeki Morishita**, Sakai (JP)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Masuvalley and Partners

(73) Assignee: **Kubota Corporation**, Osaka (JP)

(57) **CLAIM**

The ornamental design for an armrest for construction equipment, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/474,463**

(22) Filed: **Sep. 26, 2014**

(51) **LOC (10) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28**

(58) **Field of Classification Search**
USPC D15/10, 17, 22–26, 28, 30; D12/192;
D21/329; D34/28, 35; 74/491, 469,
74/471 R, 471 XY; 280/752; 296/1.09, 191,
296/153; 297/411.36, 217.3, 411.2, 411.21;
180/333, 315, 326, 332, 329, 331, 90,
180/334

See application file for complete search history.

FIG. 1 is a perspective view of the armrest for construction equipment according to the invention;
FIG. 2 is a front elevation view of the armrest for construction equipment of FIG. 1;
FIG. 3 is a rear elevation view of the armrest for construction equipment of FIG. 1;
FIG. 4 is a right side elevation view of the armrest for construction equipment of FIG. 1;
FIG. 5 is a left side elevation view of the armrest for construction equipment of FIG. 1;
FIG. 6 is a top plan view of the armrest for construction equipment of FIG. 1;
FIG. 7 is a bottom plan view of the armrest for construction equipment of FIG. 1;
FIG. 8 is a second perspective view of the armrest for construction equipment of FIG. 1, showing the armrest in its construction equipment environment;
FIG. 9 is a third perspective view of the armrest for construction equipment of FIG. 1, showing the armrest in its construction equipment environment; and,
FIG. 10 is a fourth perspective view of the armrest for construction equipment of FIG. 1, showing the armrest in its construction equipment environment.
The broken line disclosure, as well as line shading in parts of the drawings are included for the purpose of illustrating use and environment and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,390,985 A * 2/1995 Chandler 301/44.2
D376,244 S * 12/1996 Feider et al. D34/35
5,938,282 A * 8/1999 Epple 297/217.3
D427,207 S * 6/2000 Altmann et al. D15/28
D427,208 S * 6/2000 Altmann et al. D15/28
D458,278 S * 6/2002 Clevenger D15/28
D463,458 S * 9/2002 Arthur et al. D15/28
D516,096 S * 2/2006 Bergman et al. D15/28
D516,097 S * 2/2006 Bergman et al. D15/28
D539,311 S * 3/2007 Honda et al. D15/28
D559,593 S * 1/2008 Fullenkamp et al. D6/501
D586,827 S * 2/2009 Andou et al. D15/28

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

